

# 2020 REVISED COUNTY PLAN

Monumentation & Remonumentation Plan


For MENOMINEE County, Michigan

Prepared for the implementation of 1990 PA 345 as amended, MCL 54.261-279

Revised and Approved by the Board of County Commissioners:



\_\_\_\_\_  
Gerald Piche, Chairperson



\_\_\_\_\_  
Date

## TABLE OF CONTENTS

Section	Topic	Page Number
	Title Page	1
	Table of Contents	2
I	Introduction – The Reason for this Revision	3
AA	Specific Remonumentation Plan	4 - 53
BB	Perpetual Monument Maintenance Plan	54
CC	Peer Review Group	55
DD	Geodetic Coordinates	56
EE	Agreements for Active Geodetic Control Sites	57
FF	County Revisions to the Remonumentation Plan	58

## INTRODUCTION – THE REASON FOR THIS REVISION

The State Survey and Remonumentation Act, 1990 PA 345, was revised on June 12, 2014 by 2014 PA 166. This revision, among other things, reinstated the State Survey and Remonumentation Commission and required them in Section 8 to promulgate the rules and guide the counties to formalize a REVISED COUNTY PLAN. Issues identified in the law and by the commission to be specifically addressed are:

- A. A plan to remonument all of the original Public Land Survey corners, property controlling corners and protracted corners. The plan must also list other corners to be included or excluded. MCL 54.268 (2)(a)&(c). If an explicit plan is included in a previous Plan, then outline any modifications that may have occurred since the last update.
- B. A perpetual monument maintenance plan. MCL 54.268 (2)(d) The Land Corner Recordation Act, 1970 PA 74, outlines when a Land Corner Recordation Certificate must be filed. In order to formalize the local practice, the county must define “as described.”
- C. A peer review group. MCL 54.268 (e)
  - i. Qualifications for peer review group membership must be defined.
  - ii. Safeguards can be defined to avoid one-company rule.
  - iii. Allowance of walk-in corner review must be identified.
- D. Geodetic coordinates to be collected. MCL 54.268 (2)(a)(iii)
  - i. Geodetic coordinates are not defined by the law. Some counties want to use State Plane Coordinates as defined in 1964 PA 9, and others want to use latitude and longitude. The county can decide which to use, but it must be consistent and documented.
  - ii. The storage of coordinate values must be addressed at the county level.
- E. Agreements for active geodetic control sites. MCL 54.268 (7)
- F. LCRC forms must be recorded at the county Register of Deeds and with the Department. MCL 54.268 (2)(b). This has not changed.

It is the intent of the Revision to review the Remonumentation Plan, assess its validity and modify for recent technologies. As shown in the outline, decisions must be made and formalized in the Revised County Plan to assure local control and consistency. Additions to this Revision can be made if a county would like to modify a section.

According to Section 8 (1), the deadline to file the Revised County Plan is **March 1, 2020**.

**Appendix AA**  
Detailed County Remonumentation Plan

The Remonumentation Plan for MENOMINEE County shall include the following corners:

- ALL corners monumented by the General Land Office (GLO) between the years 1846-1852 in Menominee County
  - Section and One-Quarter Corners indexed in a standard township as:
    - A01, A02, A03, A04, A05, A06, A07, A08, A09, A10, A11, A12, A13
    - B01, B03, B05, B07, B09, B11, B13
    - C01, C02, C03, C04, C05, C06, C07, C08, C09, C10, C11, C12, C13
    - D01, D03, D05, D07, D09, D11, D13
    - E01, E02, E03, E04, E05, E06, E07, E08, E09, E10, E11, E12, E13
    - F01, F03, F05, F07, F09, F11, F13
    - G01, G02, G03, G04, G05, G06, G07, G08, G09, G10, G11, G12, G13
    - H01, H03, H05, H07, H09, H11, H13
    - I01, I02, I03, I04, I05, I06, I07, I08, I09, I10, I11, I12, I13
    - J01, J03, J05, J07, J09, J11, J13
    - K01, K02, K03, K04, K05, K06, K07, K08, K09, K10, K11, K12, K13
    - L01, L03, L05, L07, L09, L11, L13
    - M01, M02, M03, M04, M05, M06, M07, M08, M09, M10, M11, M12, M13
  - Meander Corners for respective townships and indexed as:
    - T31N-R27W = 001 thru 007
    - T32N-R26W = 001 thru 004
    - T32N-R27W = 001 thru 014
    - T32N-R28W = 001 thru 008
    - T33N-R25W = 001 thru 002
    - T33N-R26W = 001 thru 010
    - T33N-R27W = 002 thru 003
    - T33N-R28W = 001 thru 008
    - T34N-R25W = 001 thru 010
    - T34N-R27W = 001, 003 thru 010
    - T34N-R28W = 001 thru 007
    - T34N-R29W = 001 thru 009
    - T35N-R25W = 001 thru 023
    - T35N-R27W = 001 thru 002
    - T35N-R28W = 001 thru 010
    - T35N-R29W = 001 thru 012
    - T36N-R24W = 001 thru 010
    - T36N-R25W = 001 thru 022

- Meander Corners for respective townships and indexed as:
  - T36N-R28W = 001 thru 012 and 014
  - T37N-R25W = 001 thru 002
  - T37N-R28W = 001 thru 014
  - T37N-R29W = 001 thru 003
  - T38N-R25W = 001
  - T38N-R29W = 001 thru 005
  - T39N-R27W = 001 thru 002
  
- ALL non-GLO corners which are PROTRACTED ONE-QUARTER CORNERS, not set by General Land Office (GLO) between the years 1846-1852 in Menominee County, that are located along the 4<sup>th</sup> Correction line
  - Protracted One-Quarter Corners for respective townships and indexed as:
    - T40N-R25W = B01, D01, F01, H01, J01, L01
    - T40N-R26W = B01, D01, F01, H01, J01, L01
    - T40N-R27W = B01, D01, F01, H01, J01, L01

THIS COUNTY SHOULD HAVE 4,088 CORNER RECORDS ON FILE PRIOR TO COMMENCING THE PERPETUAL MONUMENT MAINTENANCE PLAN

The above referenced number of corner records EXCLUDES 26 records for non-GLO corners (Center One-Quarter Corners) previously accepted and on file with the Menominee County Remonumentation Program between the years 1990-2020 which are listed individually under each respective Township.


The above referenced number INCLUDES those PROTRACTED ONE-QUARTER CORNERS on the 4<sup>th</sup> Correction Line and are listed individually under each respective Township)

The above referenced number of corner records INCLUDES 145 corners not yet filed, but to be completed prior to the implementation of the Menominee County Perpetual Maintenance Plan.

The above referenced number of corner records EXCLUDES 5 GLO corners which will not be completed prior to commencing the perpetual Monument Maintenance Plan.

## MENOMINEE COUNTY CORNER INDEX TOWNSHIP 31 NORTH - RANGE 27 WEST

- ▲ - INDICATES PREVIOUSLY PEER APPROVED GLO CORNER. (15)
- - INDICATES GLO CORNER TO BE COMPLETED PRIOR TO PERPETUAL MAINTENANCE. (0)
- - INDICATES PREVIOUSLY PEER APPROVED NON-GLO CORNER (0)
- - INDICATES GLO CORNER TO BE EXCLUDED FROM PROGRAM (0)



## T31N-R27W

ALL corners monumented by the General Land Office between the years 1846-1852

- Section and One-Quarter Corners indexed as:
  - ~~A01, A02, A03, A04, A05, A06, A07, A08, A09, A10, A11, A12, A13~~
  - ~~B01, B03, B05, B07, B09, B11, B13~~
  - ~~C01, C02, C03, C04, C05, C06, C07, C08, C09, C10, C11, C12, C13~~
  - ~~D01, D03, D05, D07, D09, D11, D13~~
  - E01, ~~E02, E03, E04, E05, E06, E07, E08, E09, E10, E11, E12, E13~~
  - F01, ~~F03, F05, F07, F09, F11, F13~~
  - G01, G02, ~~G03, G04, G05, G06, G07, G08, G09, G10, G11, G12, G13~~
  - H01, ~~H03, H05, H07, H09, H11, H13~~
  - I01, I02, ~~I03, I04, I05, I06, I07, I08, I09, I10, I11, I12, I13~~
  - ~~J01, J03, J05, J07, J09, J11, J13~~
  - ~~K01, K02, K03, K04, K05, K06, K07, K08, K09, K10, K11, K12, K13~~
  - ~~L01, L03, L05, L07, L09, L11, L13~~
  - ~~M01, M02, M03, M04, M05, M06, M07, M08, M09, M10, M11, M12, M13~~
- Meander Corners indexed as:
  - 001, 002, 003, 004, 005, 006 and 007


THIS TOWNSHIP SHOULD HAVE 15 CORNER RECORDS ON FILE PRIOR TO COMMENCING THE PERPETUAL MONUMENT MAINTENANCE PLAN

The above referenced number of corner records INCLUDES the following 0 GLO corner(s) to be completed and filed with the Menominee County Remonumentation Program prior to commencing the perpetual Monument Maintenance Plan and EXCLUDES the following 0 non-GLO corner(s) previously completed and filed with the Menominee County Remonumentation Program:

- GLO Corners to be completed and indexed as:
  - NONE
- non-GLO Corners previously completed and indexed as:
  - NONE

# MENOMINEE COUNTY CORNER INDEX TOWNSHIP 32 NORTH - RANGE 26 WEST

- ▲ - INDICATES PREVIOUSLY PEER APPROVED GLO CORNER. (10)
- - INDICATES GLO CORNER TO BE COMPLETED PRIOR TO PERPETUAL MAINTENANCE. (3)
- - INDICATES PREVIOUSLY PEER APPROVED NON-GLO CORNER (0)
- - INDICATES GLO CORNER TO BE EXCLUDED FROM PROGRAM (0)



## T32N-R26W

ALL corners monumented by the General Land Office between the years 1846-1852

- Section and One-Quarter Corners indexed as:
  - A01, A02, A03, A04, ~~A05, A06, A07, A08, A09, A10, A11, A12, A13~~
  - B01, B03, ~~B05, B07, B09, B11, B13~~
  - C01, C02, ~~C03, C04, C05, C06, C07, C08, C09, C10, C11, C12, C13~~
  - D01, ~~D03, D05, D07, D09, D11, D13~~
  - ~~E01, E02, E03, E04, E05, E06, E07, E08, E09, E10, E11, E12, E13~~
  - ~~F01, F03, F05, F07, F09, F11, F13~~
  - ~~G01, G02, G03, G04, G05, G06, G07, G08, G09, G10, G11, G12, G13~~
  - ~~H01, H03, H05, H07, H09, H11, H13~~
  - ~~I01, I02, I03, I04, I05, I06, I07, I08, I09, I10, I11, I12, I13~~
  - ~~J01, J03, J05, J07, J09, J11, J13~~
  - ~~K01, K02, K03, K04, K05, K06, K07, K08, K09, K10, K11, K12, K13~~
  - ~~L01, L03, L05, L07, L09, L11, L13~~
  - ~~M01, M02, M03, M04, M05, M06, M07, M08, M09, M10, M11, M12, M13~~
- Meander Corners indexed as:
  - 001, 002, 003 and 004


THIS TOWNSHIP SHOULD HAVE 13 CORNER RECORDS ON FILE PRIOR TO COMMENCING THE PERPETUAL MONUMENT MAINTENANCE PLAN

The above referenced number of corner records INCLUDES the following 3 GLO corner(s) to be completed and filed with the Menominee County Remonumentation Program prior to commencing the perpetual Monument Maintenance Plan and EXCLUDES the following 0 non-GLO corners previously completed and filed with the Menominee County Remonumentation Program:

- GLO Corners to be completed and indexed as:
  - A01; A02; A03
- non-GLO Corners previously completed and indexed as:
  - NONE

# MENOMINEE COUNTY CORNER INDEX TOWNSHIP 32 NORTH - RANGE 27 WEST

- ▲ - INDICATES PREVIOUSLY PEER APPROVED GLO CORNER. (115)
- - INDICATES GLO CORNER TO BE COMPLETED PRIOR TO PERPETUAL MAINTENANCE. (0)
- - INDICATES PREVIOUSLY PEER APPROVED NON-GLO CORNER (2)
- - INDICATES GLO CORNER TO BE EXCLUDED FROM PROGRAM (0)



## T32N-R27W

ALL corners monumented by the General Land Office between the years 1846-1852

- Section and One-Quarter Corners indexed as:
  - A01, A02, A03, A04, A05, A06, A07, A08, ~~A09, A10, A11, A12, A13~~
  - B01, B03, B05, B07, ~~B09, B11, B13~~
  - C01, C02, C03, C04, C05, C06, C07, C08, C09, C10, C11, ~~C12, C13~~
  - D01, D03, D05, D07, D09, D11, ~~D13~~
  - E01, E02, E03, E04, E05, E06, E07, E08, E09, E10, E11, E12, E13
  - F01, F03, F05, F07, F09, F11, F13
  - G01, G02, G03, G04, G05, G06, G07, G08, G09, G10, G11, G12, G13
  - H01, H03, H05, H07, H09, H11, H13
  - I01, I02, I03, I04, I05, I06, I07, I08, I09, I10, I11, I12, I13
  - J01, J03, J05, J07, J09, ~~J11, J13~~
  - K01, K02, K03, K04, K05, K06, K07, ~~K08, K09, K10, K11, K12, K13~~
  - L01, L03, L05, ~~L07, L09, L11, L13~~
  - ~~M01, M02, M03, M04, M05, M06, M07, M08, M09, M10, M11, M12, M13~~
- Meander Corners indexed as:
  - 001, 002, 003, 004, 005, 006, 007, 008, 009, 010, 011, 012, 013 and 014


THIS TOWNSHIP SHOULD HAVE 115 CORNER RECORDS ON FILE PRIOR TO COMMENCING THE PERPETUAL MONUMENT MAINTENANCE PLAN

The above referenced number of corner records INCLUDES the following 0 GLO corner(s) to be completed and filed with the Menominee County Remonumentation Program prior to commencing the perpetual Monument Maintenance Plan and EXCLUDES the following 2 non-GLO corner(s) previously completed and filed with the Menominee County Remonumentation Program:

- GLO Corners to be completed and indexed as:
  - NONE
- non-GLO Corners previously completed and indexed as:
  - D02; H10

# MENOMINEE COUNTY CORNER INDEX TOWNSHIP 32 NORTH - RANGE 28 WEST

- ▲ - INDICATES PREVIOUSLY PEER APPROVED GLO CORNER. (30)
- - INDICATES GLO CORNER TO BE COMPLETED PRIOR TO PERPETUAL MAINTENANCE. (1)
- - INDICATES PREVIOUSLY PEER APPROVED NON-GLO CORNER (0)
- - INDICATES GLO CORNER TO BE EXCLUDED FROM PROGRAM (0)



## T32N-R28W

ALL corners monumented by the General Land Office between the years 1846-1852

- Section and One-Quarter Corners indexed as:
  - ~~A01, A02, A03, A04, A05, A06, A07, A08, A09, A10, A11, A12, A13~~
  - ~~B01, B03, B05, B07, B09, B11, B13~~
  - ~~C01, C02, C03, C04, C05, C06, C07, C08, C09, C10, C11, C12, C13~~
  - ~~D01, D03, D05, D07, D09, D11, D13~~
  - ~~E01, E02, E03, E04, E05, E06, E07, E08, E09, E10, E11, E12, E13~~
  - ~~F01, F03, F05, F07, F09, F11, F13~~
  - ~~G01, G02, G03, G04, G05, G06, G07, G08, G09, G10, G11, G12, G13~~
  - ~~H01, H03, H05, H07, H09, H11, H13~~
  - ~~I01, I02, I03, I04, I05, I06, I07, I08, I09, I10, I11, I12, I13~~
  - J01, J03, J05, ~~J07, J09, J11, J13~~
  - K01, K02, K03, K04, K05, K06, ~~K07, K08, K09, K10, K11, K12, K13~~
  - L01, L03, L05, L07, ~~L09, L11, L13~~
  - M01, M02, M03, M04, M05, M06, M07, M08, ~~M09, M10, M11, M12, M13~~
- Meander Corners indexed as:
  - 001, 002, 003, 004, 005, 006, 007 and 008

THIS TOWNSHIP SHOULD HAVE 31 CORNER RECORDS ON FILE PRIOR TO COMMENCING THE PERPETUAL MONUMENT MAINTENANCE PLAN


The above referenced number of corner records INCLUDES the following 1 GLO corner(s) to be completed and filed with the Menominee County Remonumentation Program prior to commencing the perpetual Monument Maintenance Plan and EXCLUDES the following 0 non-GLO corner(s) previously completed and filed with the Menominee County Remonumentation Program:

- GLO Corners to be completed and indexed as:
  - I02
- non-GLO Corners previously completed and indexed as:
  - NONE

# MENOMINEE COUNTY CORNER INDEX TOWNSHIP 33 & 34 NORTH - RANGE 25 WEST

## T34N - R25W

- ▲ - INDICATES PREVIOUSLY PEER APPROVED GLO CORNER. (43)
- - INDICATES GLO CORNER TO BE COMPLETED PRIOR TO PERPETUAL MAINTENANCE. (8)
- - INDICATES PREVIOUSLY PEER APPROVED NON-GLO CORNER (3)
- - INDICATES GLO CORNER TO BE EXCLUDED FROM PROGRAM (0)



## T33N-R25W

ALL corners monumented by the General Land Office between the years 1840-1855

- Section and One-Quarter Corners indexed as:
  - ✱ ~~A01, A02, A03, A04, A05, A06, A07, A08, A09, A10, A11, A12, A13~~
  - ✱ ~~B01, B03, B05, B07, B09, B11, B13~~
  - ✱ ~~C01, C02, C03, C04, C05, C06, C07, C08, C09, C10, C11, C12, C13~~
  - ✱ ~~D01, D03, D05, D07, D09, D11, D13~~
  - ✱ ~~E01, E02, E03, E04, E05, E06, E07, E08, E09, E10, E11, E12, E13~~
  - ✱ ~~F01, F03, F05, F07, F09, F11, F13~~
  - ✱ ~~G01, G02, G03, G04, G05, G06, G07, G08, G09, G10, G11, G12, G13~~
  - ✱ ~~H01, H03, H05, H07, H09, H11, H13~~
  - ✱ ~~I01, I02, I03, I04, I05, I06, I07, I08, I09, I10, I11, I12, I13~~
  - ✱ ~~J01, J03, J05, J07, J09, J11, J13~~
  - ✱ ~~K01, K02, K03, K04, K05, K06, K07, K08, K09, K10, K11, K12, K13~~
  - ✱ ~~L01, L03, L05, L07, L09, L11, L13~~
  - ✱ ~~M01, M02, M03, M04, M05, M06, M07, M08, M09, M10, M11, M12, M13~~
- Meander Corners indexed as
  - 001 and 002,


THIS TOWNSHIP SHOULD HAVE   3   CORNER RECORDS ON FILE PRIOR TO COMMENCING THE PERPETUAL MONUMENT MAINTENANCE PLAN

The above referenced number of corner records INCLUDES the following GLO corners to be completed and filed with the Menominee County Remonumentation Program prior to commencing the perpetual Monument Maintenance Plan and EXCLUDES the following non-GLO corners previously completed and filed with the Menominee County Remonumentation Program:

- GLO Corners to be completed and indexed as:
  - Meander Corner 001
- non-GLO Corners previously completed and indexed as:
  - NONE

# MENOMINEE COUNTY CORNER INDEX TOWNSHIP 33 NORTH - RANGE 26 WEST

- ▲ - INDICATES PREVIOUSLY PEER APPROVED GLO CORNER. (92)
- - INDICATES GLO CORNER TO BE COMPLETED PRIOR TO PERPETUAL MAINTENANCE. (3)
- - INDICATES PREVIOUSLY PEER APPROVED NON-GLO CORNER (2)
- - INDICATES GLO CORNER TO BE EXCLUDED FROM PROGRAM (0)



## T33N-R26W

ALL corners monumented by the General Land Office between the years 1846-1852

- Section and One-Quarter Corners indexed as:
  - A01, A02, A03, A04, A05, A06, A07, A08, A09, A10, A11, A12, A13
  - B01, B03, B05, B07, B09, B11, B13
  - C01, C02, C03, C04, C05, C06, C07, C08, C09, C10, C11, C12, C13
  - D01, D03, D05, D07, D09, D11, D13
  - E01, E02, E03, E04, E05, E06, E07, E08, E09, E10, E11, ~~E12, E13~~
  - F01, F03, F05, F07, F09, F11, ~~F13~~
  - ~~G01, G02, G03, G04, G05, G06, G07, G08, G09, G10, G11, G12, G13~~
  - H01, H03, H05, H07, ~~H09, H11, H13~~
  - I01, I02, I03, I04, I05, I06, ~~I07, I08, I09, I10, I11, I12, I13~~
  - J01, J03, J05, ~~J07, J09, J11, J13~~
  - K01, K02, K03, K04, ~~K05, K06, K07, K08, K09, K10, K11, K12, K13~~
  - L01, ~~L03, L05, L07, L09, L11, L13~~
  - ~~M01, M02, M03, M04, M05, M06, M07, M08, M09, M10, M11, M12, M13~~
- Meander Corners indexed as
  - 001, 002, 003, 004, 005, 006, 007, 008, 009 and 010


THIS TOWNSHIP SHOULD HAVE 95 CORNER RECORDS ON FILE PRIOR TO COMMENCING THE PERPETUAL MONUMENT MAINTENANCE PLAN

The above referenced number of corner records INCLUDES the following 3 GLO corner(s) to be completed and filed with the Menominee County Remonumentation Program prior to commencing the perpetual Monument Maintenance Plan and EXCLUDES the following 2 non-GLO corner(s) previously completed and filed with the Menominee County Remonumentation Program:

- GLO Corners to be completed and indexed as:
  - C02; D03; D07
- non-GLO Corners previously completed and indexed as:
  - D04; L02

# MENOMINEE COUNTY CORNER INDEX TOWNSHIP 33 NORTH - RANGE 27 WEST

- ▲ - INDICATES PREVIOUSLY PEER APPROVED GLO CORNER. (121)
- - INDICATES GLO CORNER TO BE COMPLETED PRIOR TO PERPETUAL MAINTENANCE. (12)
- - INDICATES PREVIOUSLY PEER APPROVED NON-GLO CORNER (1)
- - INDICATES GLO CORNER TO BE EXCLUDED FROM PROGRAM (0)



## T33N-R27W

ALL corners monumented by the General Land Office between the years 1846-1852

- Section and One-Quarter Corners indexed as:
  - ~~A01, A02~~, A03, A04, A05, A06, A07, A08, A09, A10, A11, A12, A13
  - B01, B03, B05, B07, B09, B11, B13
  - C01, C02, C03, C04, C05, C06, C07, C08, C09, C10, C11, C12, C13
  - D01, D03, D05, D07, D09, D11, D13
  - E01, E02, E03, E04, E05, E06, E07, E08, E09, E10, E11, E12, E13
  - F01, F03, F05, F07, F09, F11, F13
  - G01, G02, G03, G04, G05, G06, G07, G08, G09, G10, G11, G12, G13
  - H01, H03, H05, H07, H09, H11, H13
  - I01, I02, I03, I04, I05, I06, I07, I08, I09, I10, I11, I12, I13
  - J01, J03, J05, J07, J09, J11, J13
  - K01, K02, K03, K04, K05, K06, K07, K08, K09, K10, K11, K12, K13
  - L01, L03, L05, L07, L09, L11, L13
  - M01, M02, M03, M04, M05, M06, M07, M08, M09, M10, M11, M12, M13
  
- Meander Corners indexed as:
  - 002; 003 (Note: 001 should be indexed as a Witness Corner to G04)


THIS TOWNSHIP SHOULD HAVE 133 CORNER RECORDS ON FILE PRIOR TO COMMENCING THE PERPETUAL MONUMENT MAINTENANCE PLAN

The above referenced number of corner records INCLUDES the following 12 GLO corner(s) to be completed and filed with the Menominee County Remonumentation Program prior to commencing the perpetual Monument Maintenance Plan and EXCLUDES the following 1 non-GLO corner(s) previously completed and filed with the Menominee County Remonumentation Program:

- GLO Corners to be completed and indexed as:
  - A12; D13; E13; F01; G01; G13; H13; I13; J13; K13; L13; Meander Corner 003
- non-GLO Corners previously completed and indexed as:
  - D12

# MENOMINEE COUNTY CORNER INDEX TOWNSHIP 33 NORTH - RANGE 28 WEST

- ▲ - INDICATES PREVIOUSLY PEER APPROVED GLO CORNER. (25)
- - INDICATES GLO CORNER TO BE COMPLETED PRIOR TO PERPETUAL MAINTENANCE. (6)
- - INDICATES PREVIOUSLY PEER APPROVED NON-GLO CORNER (0)
- - INDICATES GLO CORNER TO BE EXCLUDED FROM PROGRAM (0)



## T33N-R28W

ALL corners monumented by the General Land Office between the years 1840-1855

- Section and One-Quarter Corners indexed as:
  - ~~A01, A02, A03, A04, A05, A06, A07, A08, A09, A10, A11, A12, A13~~
  - ~~B01, B03, B05, B07, B09, B11, B13~~
  - ~~C01, C02, C03, C04, C05, C06, C07, C08, C09, C10, C11, C12, C13~~
  - ~~D01, D03, D05, D07, D09, D11, D13~~
  - ~~E01, E02, E03, E04, E05, E06, E07, E08, E09, E10, E11, E12, E13~~
  - ~~F01, F03, F05, F07, F09, F11, F13~~
  - ~~G01, G02, G03, G04, G05, G06, G07, G08, G09, G10, G11, G12, G13~~
  - ~~H01, H03, H05, H07, H09, H11, H13~~
  - ~~I01, I02, I03, I04, I05, I06, I07, I08, I09, I10, I11, I12, I13~~
  - ~~J01, J03, J05, J07, J09, J11, J13~~
  - ~~K01, K02, K03, K04, K05, K06, K07, K08, K09, K10, K11, K12, K13~~
  - ~~L01, L03, L05, L07, L09, L11, L13~~
  - ~~M01, M02, M03, M04, M05, M06, M07, M08, M09, M10, M11, M12, M13~~
- Meander Corners indexed as:
  - 001, 002, 003, 004, 005, 006, 007, 008

THIS TOWNSHIP SHOULD HAVE 31 CORNER RECORDS ON FILE PRIOR TO COMMENCING THE PERPETUAL MONUMENT MAINTENANCE PLAN


The above referenced number of corner records INCLUDES the following 6 GLO corner(s) to be completed and filed with the Menominee County Remonumentation Program prior to commencing the perpetual Monument Maintenance Plan and EXCLUDES the following 0 non-GLO corner(s) previously completed and filed with the Menominee County Remonumentation Program:

- GLO Corners to be completed and indexed as:
  - M09; M10; M11; M12; Meander Corners 001 and 008
- non-GLO Corners previously completed and indexed as:
  - NONE

# MENOMINEE COUNTY CORNER INDEX TOWNSHIP 33 & 34 NORTH - RANGE 25 WEST

T34N - R25W

- ▲ - INDICATES PREVIOUSLY PEER APPROVED GLO CORNER. (43)
- - INDICATES GLO CORNER TO BE COMPLETED PRIOR TO PERPETUAL MAINTENANCE. (8)
- - INDICATES PREVIOUSLY PEER APPROVED NON-GLO CORNER (3)
- - INDICATES GLO CORNER TO BE EXCLUDED FROM PROGRAM (0)



T33N - R25W

- ▲ - INDICATES PREVIOUSLY PEER APPROVED GLO CORNER. (2)
- - INDICATES GLO CORNER TO BE COMPLETED PRIOR TO PERPETUAL MAINTENANCE. (1)
- - INDICATES PREVIOUSLY PEER APPROVED NON-GLO CORNER (0)
- - INDICATES GLO CORNER TO BE EXCLUDED FROM PROGRAM (0)

## T34N-R25W

ALL corners monumented by the General Land Office between the years 1846-1852

- Section and One-Quarter Corners indexed as:
  - A01, A02, A03, A04, A05, A06, A07, A08, A09, A10, A11, A12, A13
  - B01, B03, B05, B07, B09, B11, ~~B13~~
  - C01, C02, C03, C04, C05, C06, C07, C08, C09, ~~C10, C11, C12, C13~~
  - D01, D03, D05, D07, ~~D09, D11, D13~~
  - E01, E02, E03, E04, ~~E05, E06, E07, E08, E09, E10, E11, E12, E13~~
  - F01, F03, ~~F05, F07, F09, F11, F13~~
  - ~~G01, G02, G03, G04, G05, G06, G07, G08, G09, G10, G11, G12, G13~~
  - ~~H01, H03, H05, H07, H09, H11, H13~~
  - ~~I01, I02, I03, I04, I05, I06, I07, I08, I09, I10, I11, I12, I13~~
  - ~~J01, J03, J05, J07, J09, J11, J13~~
  - ~~K01, K02, K03, K04, K05, K06, K07, K08, K09, K10, K11, K12, K13~~
  - ~~L01, L03, L05, L07, L09, L11, L13~~
  - ~~M01, M02, M03, M04, M05, M06, M07, M08, M09, M10, M11, M12, M13~~
  
- Meander Corners indexed as:
  - 001, 002, 003, 004, 005, 006, 007, 008, 009, 010


THIS TOWNSHIP SHOULD HAVE 51 CORNER RECORDS ON FILE PRIOR TO COMMENCING THE PERPETUAL MONUMENT MAINTENANCE PLAN

The above referenced number of corner records INCLUDES the following 8 GLO corner(s) to be completed and filed with the Menominee County Remonumentation Program prior to commencing the perpetual Monument Maintenance Plan and EXCLUDES 3 non-GLO corner(s) previously completed and filed with the Menominee County Remonumentation Program:

- GLO Corners to be completed and indexed as:
  - E05; Meander Corners: 004; 005; 006; 007; 008; 009; 010
- non-GLO Corners previously completed and indexed as:
  - B10; F02; F04

# MENOMINEE COUNTY CORNER INDEX TOWNSHIP 34 NORTH - RANGE 26 WEST

- ▲ - INDICATES PREVIOUSLY PEER APPROVED GLO CORNER. (125)
- - INDICATES GLO CORNER TO BE COMPLETED PRIOR TO PERPETUAL MAINTENANCE. (9)
- - INDICATES PREVIOUSLY PEER APPROVED NON-GLO CORNER (2)
- - INDICATES GLO CORNER TO BE EXCLUDED FROM PROGRAM (1)



## T34N-R26W

ALL corners monumented by the General Land Office between the years 1846-1852

- Section and One-Quarter Corners indexed as:
  - A01, A02, A03, A04, A05, A06, A07, A08, A09, A10, A11, A12, A13
  - B01, B03, B05, B07, B09, B11, B13
  - C01, C02, C03, C04, C05, C06, C07, C08, C09, C10, C11, C12, C13
  - D01, D03, D05, D07, D09, D11, D13
  - E01, E02, E03, E04, E05, E06, E07, E08, E09, E10, E11, E12, E13
  - F01, F03, F05, F07, F09, F11, F13
  - G01, G02, G03, G04, G05, G06, G07, G08, G09, G10, G11, G12, G13
  - H01, ~~H02~~, H05, H07, H09, H11, H13
  - I01, I02, ~~I03~~, I04, I05, I06, I07, I08, I09, I10, I11, I12, I13
  - ~~J01~~, J03, J05, J07, J09, J11, J13
  - K01, K02, K03, K04, K05, K06, K07, K08, K09, K10, K11, K12, K13
  - L01, L03, L05, L07, L09, L11, L13
  - M01, M02, M03, M04, M05, M06, M07, M08, M09, M10, M11, M12, M13
- Meander Corners indexed as:
  - 001, 002, 003, 004

THIS TOWNSHIP SHOULD HAVE 134 CORNER RECORDS ON FILE PRIOR TO COMMENCING THE PERPETUAL MONUMENT MAINTENANCE PLAN

The above referenced number of corner records INCLUDES the following 9 GLO corner(s) to be completed and filed with the Menominee County Remonumentation Program prior to commencing the perpetual Monument Maintenance Plan and EXCLUDES the following 2 non-GLO corner(s) previously completed and filed with the Menominee County Remonumentation Program:


- GLO Corners to be completed and indexed as:
  - C07; I02; I06; J03; M02; Meander Corners 001; 002; 003 and 004
- non-GLO Corners previously completed and indexed as:
  - F12; J12

The above referenced number of corner records EXCLUDES the following 1 GLO corner(s) which will NOT be completed and filed with the Menominee County Remonumentation Program prior to commencing the perpetual Monument Maintenance Plan

- GLO Corners NOT to be completed and indexed as:
  - J01

# MENOMINEE COUNTY CORNER INDEX TOWNSHIP 34 NORTH - RANGE 27 WEST

- ▲ - INDICATES PREVIOUSLY PEER APPROVED GLO CORNER. (99)
- - INDICATES GLO CORNER TO BE COMPLETED PRIOR TO PERPETUAL MAINTENANCE. (5)
- - INDICATES PREVIOUSLY PEER APPROVED NON-GLO CORNER (1)
- - INDICATES GLO CORNER TO BE EXCLUDED FROM PROGRAM (0)



## T34N-R27W

ALL corners monumented by the General Land Office between the years 1846-1852

- Section and One-Quarter Corners indexed as:
  - ~~A01, A02, A03, A04, A05, A06, A07, A08, A09, A10, A11, A12, A13~~
  - ~~B01, B03, B05, B07, B09, B11~~, B13
  - ~~C01, C02, C03, C04, C05, C06, C07, C08, C09, C10~~, C11, C12, C13
  - D01, ~~D03, D05, D07, D09~~, D11, D13
  - E01, E02, ~~E03, E04, E05, E06, E07~~, E08, E09, E10, E11, E12, E13
  - F01, F03, F05, F07, F09, F11, F13
  - G01, G02, G03, G04, G05, G06, G07, G08, G09, G10, G11, G12, G13
  - H01, H03, H05, H07, H09, H11, H13
  - I01, I02, I03, I04, I05, I06, I07, I08, I09, I10, I11, I12, I13
  - J01, J03, J05, J07, J09, J11, J13
  - K01, K02, K03, K04, K05, K06, K07, K08, K09, K10, K11, K12, K13
  - L01, L03, L05, L07, L09, L11, L13
  - M01, M02, M03, M04, M05, M06, M07, M08, M09, M10, M11, M12, M13
- Meander Corners indexed as:
  - 001, 003, 004, 005, 006, 007, 008, 009, 010


THIS TOWNSHIP SHOULD HAVE 104 CORNER RECORDS ON FILE PRIOR TO COMMENCING THE PERPETUAL MONUMENT MAINTENANCE PLAN

The above referenced number of corner records INCLUDES the following 5 GLO corner(s) to be completed and filed with the Menominee County Remonumentation Program prior to commencing the perpetual Monument Maintenance Plan and EXCLUDES the following 1 non-GLO corner(s) previously completed and filed with the Menominee County Remonumentation Program:

- GLO Corners to be completed and indexed as:
  - E02; G02; I05; K08; Meander Cor. 001
- non-GLO Corners previously completed and indexed as:
  - F04

# MENOMINEE COUNTY CORNER INDEX TOWNSHIP 34 NORTH - RANGE 28 WEST

- ▲ - INDICATES PREVIOUSLY PEER APPROVED GLO CORNER. (35)
- - INDICATES GLO CORNER TO BE COMPLETED PRIOR TO PERPETUAL MAINTENANCE. (0)
- - INDICATES PREVIOUSLY PEER APPROVED NON-GLO CORNER (2)
- - INDICATES GLO CORNER TO BE EXCLUDED FROM PROGRAM (0)



## T34N-R28W

ALL corners monumented by the General Land Office between the years 1846-1852

- Section and One-Quarter Corners indexed as:
  - A01, A02, A03, A04, ~~A05, A06, A07, A08, A09, A10, A11, A12, A13~~
  - B01, B03, ~~B05, B07, B09, B11, B13~~
  - C01, C02, C03, C04, ~~C05, C06, C07, C08, C09, C10, C11, C12, C13~~
  - D01, D03, ~~D05, D07, D09, D11, D13~~
  - E01, E02, E03, E04, ~~E05, E06, E07, E08, E09, E10, E11, E12, E13~~
  - F01, F03, ~~F05, F07, F09, F11, F13~~
  - G01, G02, G03, G04, ~~G05, G06, G07, G08, G09, G10, G11, G12, G13~~
  - ~~H01, H03, H05, H07, H09, H11, H13~~
  - I01, I02, I03, ~~I04, I05, I06, I07, I08, I09, I10, I11, I12, I13~~
  - J01, ~~J03, J05, J07, J09, J11, J13~~
  - ~~K01, K02, K03, K04, K05, K06, K07, K08, K09, K10, K11, K12, K13~~
  - ~~L01, L03, L05, L07, L09, L11, L13~~
  - ~~M01, M02, M03, M04, M05, M06, M07, M08, M09, M10, M11, M12, M13~~
- Meander Corners indexed as:
  - 001, 002, 003, 004, 005, 006, 007


THIS TOWNSHIP SHOULD HAVE 35 CORNER RECORDS ON FILE PRIOR TO COMMENCING THE PERPETUAL MONUMENT MAINTENANCE PLAN

The above referenced number of corner records INCLUDES the following 0 GLO corner(s) to be completed and filed with the Menominee County Remonumentation Program prior to commencing the perpetual Monument Maintenance Plan and EXCLUDES the following 2 non-GLO corner(s) previously completed and filed with the Menominee County Remonumentation Program:

- GLO Corners to be completed and indexed as:
  - NONE
- non-GLO Corners previously completed and indexed as:
  - B04; D04

# MENOMINEE COUNTY CORNER INDEX TOWNSHIP 34 NORTH - RANGE 29 WEST

- ▲ - INDICATES PREVIOUSLY PEER APPROVED GLO CORNER. (30)
- - INDICATES GLO CORNER TO BE COMPLETED PRIOR TO PERPETUAL MAINTENANCE. (0)
- - INDICATES PREVIOUSLY PEER APPROVED NON-GLO CORNER (1)
- - INDICATES GLO CORNER TO BE EXCLUDED FROM PROGRAM (0)



## T34N-R29W

ALL corners monumented by the General Land Office between the years 1846-1852

- Section and One-Quarter Corners indexed as:
  - ~~A01, A02, A03, A04, A05, A06, A07, A08, A09, A10, A11, A12, A13~~
  - ~~B01, B03, B05, B07, B09, B11, B13~~
  - ~~C01, C02, C03, C04, C05, C06, C07, C08, C09, C10, C11, C12, C13~~
  - ~~D01, D03, D05, D07, D09, D11, D13~~
  - ~~E01, E02, E03, E04, E05, E06, E07, E08, E09, E10, E11, E12, E13~~
  - ~~F01, F03, F05, F07, F09, F11, F13~~
  - ~~G01, G02, G03, G04, G05, G06, G07, G08, G09, G10, G11, G12, G13~~
  - H01, ~~H03, H05, H07, H09, H11, H13~~
  - I01, I02, I03, I04, ~~I05, I06, I07, I08, I09, I10, I11, I12, I13~~
  - J01, J03, ~~J05, J07, J09, J11, J13~~
  - K01, K02, K03, K04, ~~K05, K06, K07, K08, K09, K10, K11, K12, K13~~
  - L01, L03, ~~L05, L07, L09, L11, L13~~
  - M01, M02, M03, M04, ~~M05, M06, M07, M08, M09, M10, M11, M12, M13~~
- Meander Corners indexed as
  - 001, 002, 003, 004, 005, 006, 007, 008; 009; 010 and 011


THIS TOWNSHIP SHOULD HAVE 30 CORNER RECORDS ON FILE PRIOR TO COMMENCING THE PERPETUAL MONUMENT MAINTENANCE PLAN

The above referenced number of corner records INCLUDES the following 0 GLO corners to be completed and filed with the Menominee County Remonumentation Program prior to commencing the perpetual Monument Maintenance Plan and EXCLUDES the following 1 non-GLO corner(s) previously completed and filed with the Menominee County Remonumentation Program:

- GLO Corners to be completed and indexed as:
  - NONE
- non-GLO Corners previously completed and indexed as:
  - L04

# CORNER INDEX TOWNSHIP 35 NORTH - RANGE 24 WEST

- ▲ - INDICATES PREVIOUSLY PEER APPROVED GLO CORNER. (4)
- - INDICATES GLO CORNER TO BE COMPLETED PRIOR TO PERPETUAL MAINTENANCE. (0)
- - INDICATES PREVIOUSLY PEER APPROVED NON-GLO CORNER (0)
- - INDICATES GLO CORNER TO BE EXCLUDED FROM PROGRAM (0)



## T35N-R24W

ALL corners monumented by the General Land Office between the years 1846-1852

- Section and One-Quarter Corners indexed as:
  - ~~A01, A02, A03, A04, A05, A06, A07, A08, A09, A10, A11, A12, A13~~
  - ~~B01, B03, B05, B07, B09, B11, B13~~
  - ~~C01, C02, C03, C04, C05, C06, C07, C08, C09, C10, C11, C12, C13~~
  - ~~D01, D03, D05, D07, D09, D11, D13~~
  - ~~E01, E02, E03, E04, E05, E06, E07, E08, E09, E10, E11, E12, E13~~
  - ~~F01, F03, F05, F07, F09, F11, F13~~
  - ~~G01, G02, G03, G04, G05, G06, G07, G08, G09, G10, G11, G12, G13~~
  - ~~H01, H03, H05, H07, H09, H11, H13~~
  - ~~I01, I02, I03, I04, I05, I06, I07, I08, I09, I10, I11, I12, I13~~
  - ~~J01, J03, J05, J07, J09, J11, J13~~
  - ~~K01, K02, K03, K04, K05, K06, K07, K08, K09, K10, K11, K12, K13~~
  - ~~L01, L03, L05, L07, L09, L11, L13~~
  - ~~M01, M02, M03, M04, M05, M06, M07, M08, M09, M10, M11, M12, M13~~
- Meander Corners indexed as:
  - 001, 002


THIS TOWNSHIP SHOULD HAVE 4 CORNER RECORDS ON FILE PRIOR TO COMMENCING THE PERPETUAL MONUMENT MAINTENANCE PLAN

The above referenced number of corner records INCLUDES the following 0 GLO corner(s) to be completed and filed with the Menominee County Remonumentation Program prior to commencing the perpetual Monument Maintenance Plan and EXCLUDES the following 0 non-GLO corners previously completed and filed with the Menominee County Remonumentation Program:

- GLO Corners to be completed and indexed as:
  - NONE
- non-GLO Corners previously completed and indexed as:
  - NONE

# MENOMINEE COUNTY CORNER INDEX TOWNSHIP 35 NORTH - RANGE 25 WEST

- ▲ - INDICATES PREVIOUSLY PEER APPROVED GLO CORNER. (126)
- - INDICATES GLO CORNER TO BE COMPLETED PRIOR TO PERPETUAL MAINTENANCE. (4)
- - INDICATES PREVIOUSLY PEER APPROVED NON-GLO CORNER (2)
- - INDICATES GLO CORNER TO BE EXCLUDED FROM PROGRAM (0)



## T35N-R25W

ALL corners monumented by the General Land Office between the years 1846-1852

- Section and One-Quarter Corners indexed as:
  - A01, A02, A03, A04, A05, A06, A07, A08, A09, A10, A11, A12, A13
  - B01, B03, B05, B07, B09, B11, B13
  - C01, C02, C03, C04, C05, C06, C07, C08, C09, C10, C11, C12, C13
  - D01, D03, D05, D07, D09, D11, D13
  - E01, E02, E03, E04, E05, E06, E07, E08, E09, E10, E11, E12, E13
  - F01, F03, F05, F07, F09, F11, F13
  - G01, G02, G03, G04, G05, G06, G07, G08, G09, G10, G11, G12, G13
  - H01, H03, H05, H07, H09, H11, ~~H13~~
  - I01, I02, I03, I04, I05, I06, I07, I08, I09, I10, I11, ~~I12, I13~~
  - J01, J03, J05, J07, ~~J09, J11, J13~~
  - K01, K02, K03, K04, K05, K06, K07, K08, ~~K09, K10, K11, K12, K13~~
  - ~~L01, L03, L05, L07, L09, L11, L13~~
  - ~~M01, M02, M03, M04, M05, M06, M07, M08, M09, M10, M11, M12, M13~~
- Meander Corners indexed as
  - 001, 002, 003, 004, 005, 006, 007, 009, 010, 011, 012, 013, 014, 015, 016, 017, 018, 019, 020, 021, 022, 023


THIS TOWNSHIP SHOULD HAVE 130 CORNER RECORDS ON FILE PRIOR TO COMMENCING THE PERPETUAL MONUMENT MAINTENANCE PLAN

The above referenced number of corner records INCLUDES the following 4 GLO corner(s) to be completed and filed with the Menominee County Remonumentation Program prior to commencing the perpetual Monument Maintenance Plan and EXCLUDES the following 0 non-GLO corner(s) previously completed and filed with the Menominee County Remonumentation Program:

- GLO Corners to be completed and indexed as:
  - B13; C13; E06; Meander Corner 002
- non-GLO Corners previously completed and indexed as:
  - B08; J08

# MENOMINEE COUNTY CORNER INDEX TOWNSHIP 35 NORTH - RANGE 26 WEST

- ▲ - INDICATES PREVIOUSLY PEER APPROVED GLO CORNER. (130)
- - INDICATES GLO CORNER TO BE COMPLETED PRIOR TO PERPETUAL MAINTENANCE. (2)
- - INDICATES PREVIOUSLY PEER APPROVED NON-GLO CORNER (0)
- - INDICATES GLO CORNER TO BE EXCLUDED FROM PROGRAM (1)



## T35N-R26W

ALL corners monumented by the General Land Office between the years 1846-1852

- Section and One-Quarter Corners indexed as:
  - A01, A02, A03, A04, A05, A06, A07, A08, A09, A10, A11, A12, A13
  - B01, B03, B05, B07, B09, B11, B13
  - C01, C02, C03, C04, C05, C06, C07, C08, C09, C10, C11, C12, C13
  - D01, D03, D05, D07, D09, D11, D13
  - E01, E02, E03, E04, E05, E06, E07, E08, E09, E10, E11, E12, E13
  - F01, F03, F05, F07, F09, F11, F13
  - G01, G02, G03, G04, G05, G06, G07, G08, G09, G10, G11, G12, G13
  - H01, H03, H05, H07, H09, H11, H13
  - I01, I02, I03, I04, I05, I06, I07, I08, I09, I10, I11, I12, I13
  - J01, J03, J05, J07, J09, J11, ~~J13~~
  - K01, K02, K03, K04, K05, K06, K07, K08, K09, K10, K11, K12, K13
  - L01, L03, L05, L07, L09, L11, L13
  - M01, M02, M03, M04, M05, M06, M07, M08, M09, M10, M11, M12, M13

THIS TOWNSHIP SHOULD HAVE 132 CORNER RECORDS ON FILE PRIOR TO COMMENCING THE PERPETUAL MONUMENT MAINTENANCE PLAN

The above referenced number of corner records INCLUDES the following 2 GLO corners to be completed and filed with the Menominee County Remonumentation Program prior to commencing the perpetual Monument Maintenance Plan and EXCLUDES 0 non-GLO corners previously completed and filed with the Menominee County Remonumentation Program:


- GLO Corners to be completed and indexed as:
  - L03; L05
- non-GLO Corners previously completed and indexed as:
  - NONE

The above referenced number of corner records EXCLUDES the following 1 GLO corner(s) which will NOT be completed and filed with the Menominee County Remonumentation Program prior to commencing the perpetual Monument Maintenance Plan

- GLO Corner(s) NOT to be completed and indexed as:
  - J13

# MENOMINEE COUNTY CORNER INDEX TOWNSHIP 35 NORTH - RANGE 27 WEST

- ▲ - INDICATES PREVIOUSLY PEER APPROVED GLO CORNER. (126)
- - INDICATES GLO CORNER TO BE COMPLETED PRIOR TO PERPETUAL MAINTENANCE. (5)
- - INDICATES PREVIOUSLY PEER APPROVED NON-GLO CORNER (0)
- - INDICATES GLO CORNER TO BE EXCLUDED FROM PROGRAM (0)



## T35N-R27W

ALL corners monumented by the General Land Office between the years 1846-1852

- Section and One-Quarter Corners indexed as:
  - A01, A02, A03, A04, A05, A06, A07, A08, A09, A10, A11, ~~A12, A13~~
  - B01, B03, B05, B07, B09, B11, ~~B13~~
  - C01, C02, C03, C04, C05, C06, C07, C08, C09, C10, C11, C12, ~~C13~~
  - D01, D03, D05, D07, D09, D11, D13
  - E01, E02, E03, E04, E05, E06, E07, E08, E09, E10, E11, E12, E13
  - F01, F03, F05, F07, F09, F11, F13
  - G01, G02, G03, G04, G05, G06, G07, G08, G09, G10, G11, G12, G13
  - H01, H03, H05, H07, H09, H11, H13
  - I01, I02, I03, I04, I05, I06, I07, I08, I09, I10, I11, I12, I13
  - J01, J03, J05, J07, J09, J11, J13
  - K01, K02, K03, K04, K05, K06, K07, K08, K09, K10, K11, K12, K13
  - L01, L03, L05, L07, L09, L11, L13
  - M01, M02, M03, M04, M05, M06, M07, M08, M09, M10, M11, M12, M13
  
- Meander Corners indexed as
  - 001, 002, 003, 004, 005, 006, 007, 008 and 009


THIS TOWNSHIP SHOULD HAVE 131 CORNER RECORDS ON FILE PRIOR TO COMMENCING THE PERPETUAL MONUMENT MAINTENANCE PLAN

The above referenced number of corner records INCLUDES the following 5 GLO corner(s) to be completed and filed with the Menominee County Remonumentation Program prior to commencing the perpetual Monument Maintenance Plan and EXCLUDES the following 0 non-GLO corner(s) previously completed and filed with the Menominee County Remonumentation Program:

- GLO Corners to be completed and indexed as:
  - A11; C12; E08; G06; Meander Cor. 002 (C/D13)
- non-GLO Corners previously completed and indexed as:
  - NONE

# MENOMINEE COUNTY CORNER INDEX TOWNSHIP 35 NORTH - RANGE 28 WEST

- ▲ - INDICATES PREVIOUSLY PEER APPROVED GLO CORNER. (134)
- - INDICATES GLO CORNER TO BE COMPLETED PRIOR TO PERPETUAL MAINTENANCE. (2)
- - INDICATES PREVIOUSLY PEER APPROVED NON-GLO CORNER (1)
- - INDICATES GLO CORNER TO BE EXCLUDED FROM PROGRAM (0)



## T35N-R28W

ALL corners monumented by the General Land Office between the years 1846-1852

- Section and One-Quarter Corners indexed as:
  - ~~A01~~, A02, A03, A04, A05, A06, A07, A08, A09, A10, A11, A12, A13
  - B01, B03, B05, B07, B09, B11, B13
  - C01, C02, C03, C04, C05, C06, C07, C08, C09, ~~C10~~, C11, C12, C13
  - D01, D03, D05, D07, D09, D11, D13
  - E01, E02, E03, E04, E05, E06, E07, E08, E09, E10, E11, E12, E13
  - F01, F03, F05, F07, F09, F11, F13
  - G01, G02, G03, G04, G05, G06, G07, G08, G09, G10, G11, G12, G13
  - H01, H03, H05, H07, H09, H11, H13
  - I01, I02, I03, I04, I05, I06, I07, I08, I09, I10, I11, I12, I13
  - J01, J03, J05, J07, J09, J11, J13
  - K01, K02, K03, K04, K05, K06, K07, K08, K09, K10, K11, K12, ~~K13~~
  - L01, L03, L05, L07, L09, L11, ~~L13~~
  - ~~M01~~, M02, M03, M04, M05, M06, M07, M08, M09, M10, M11, ~~M12~~, ~~M13~~
- Meander Corners indexed as
  - 001, 002, 003, 004, 005, 006, 007, 008, 009, 010


THIS TOWNSHIP SHOULD HAVE 136 CORNER RECORDS ON FILE PRIOR TO COMMENCING THE PERPETUAL MONUMENT MAINTENANCE PLAN

The above referenced number of corner records INCLUDES the following 2 GLO corner(s) to be completed and filed with the Menominee County Remonumentation Program prior to commencing the perpetual Monument Maintenance Plan and EXCLUDES the following 1 non-GLO corner(s) previously completed and filed with the Menominee County Remonumentation Program:

- GLO Corners to be completed and indexed as:
  - M09; M11
- non-GLO Corners previously completed and indexed as:
  - L10

# MENOMINEE COUNTY CORNER INDEX TOWNSHIP 35 NORTH - RANGE 29 WEST

- ▲ - INDICATES PREVIOUSLY PEER APPROVED GLO CORNER. (46)
- - INDICATES GLO CORNER TO BE COMPLETED PRIOR TO PERPETUAL MAINTENANCE. (0)
- - INDICATES PREVIOUSLY PEER APPROVED NON-GLO CORNER (0)
- - INDICATES GLO CORNER TO BE EXCLUDED FROM PROGRAM (0)



## T35N-R29W

ALL corners monumented by the General Land Office between the years 1846-1852

- Section and One-Quarter Corners indexed as:
  - ~~A01, A02, A03, A04, A05, A06, A07, A08, A09, A10, A11, A12, A13~~
  - ~~B01, B03, B05, B07, B09, B11, B13~~
  - ~~C01, C02, C03, C04, C05, C06, C07, C08, C09, C10, C11, C12, C13~~
  - ~~D01, D03, D05, D07, D09, D11, D13~~
  - ~~E01, E02, E03, E04, E05, E06, E07, E08, E09, E10, E11, E12, E13~~
  - ~~F01, F03, F05, F07, F09, F11, F13~~
  - ~~G01, G02, G03, G04, G05, G06, G07, G08, G09, G10, G11, G12, G13~~
  - ~~H01, H03, H05, H07, H09, H11, H13~~
  - ~~I01, I02, I03, I04, I05, I06, I07, I08, I09, I10, I11, I12, I13~~
  - ~~J01, J03, J05, J07, J09, J11, J13~~
  - ~~K01, K02, K03, K04, K05, K06, K07, K08, K09, K10, K11, K12, K13~~
  - ~~L01, L03, L05, L07, L09, L11, L13~~
  - M01, M02, M03, M04, M05, M06, ~~M07~~, M08, M09, M10, M11, M12, M13
  
- Meander Corners indexed as
  - 001, 002, 003, 004, 005, 006, 007, 008, 009, 010, 011, 012


THIS TOWNSHIP SHOULD HAVE 46 CORNER RECORDS ON FILE PRIOR TO COMMENCING THE PERPETUAL MONUMENT MAINTENANCE PLAN

The above referenced number of corner records INCLUDES the following 0 GLO corner(s) to be completed and filed with the Menominee County Remonumentation Program prior to commencing the perpetual Monument Maintenance Plan and EXCLUDES the following 0 non-GLO corner(s) previously completed and filed with the Menominee County Remonumentation Program:

- GLO Corners to be completed and indexed as:
  - NONE
- non-GLO Corners previously completed and indexed as:
  - NONE

# MENOMINEE COUNTY CORNER INDEX TOWNSHIP 36 NORTH - RANGE 24 WEST

- ▲ - INDICATES PREVIOUSLY PEER APPROVED GLO CORNER. (53)
- - INDICATES GLO CORNER TO BE COMPLETED PRIOR TO PERPETUAL MAINTENANCE. (2)
- - INDICATES PREVIOUSLY PEER APPROVED NON-GLO CORNER (1)
- - INDICATES GLO CORNER TO BE EXCLUDED FROM PROGRAM (0)



## T36N-R24W

ALL corners monumented by the General Land Office between the years 1846-1852

- Section and One-Quarter Corners indexed as:
  - A01, A02, A03, A04, A05, A06, A07, A08, A09, A10, A11, A12, A13
  - B01, B03, B05, B07, B09, B11, ~~B13~~
  - C01, C02, C03, C04, C05, C06, C07, C08, C09, C10, C11, ~~C12, C13~~
  - D01, D03, D05, D07, D09, ~~D11, D13~~
  - E01, E02, E03, E04, E05, E06, ~~E07, E08, E09, E10, E11, E12, E13~~
  - ~~F01, F03, F05, F07, F09, F11, F13~~
  - G01, G02, ~~G03, G04, G05, G06, G07, G08, G09, G10, G11, G12, G13~~
  - ~~H01, H03, H05, H07, H09, H11, H13~~
  - ~~I01, I02, I03, I04, I05, I06, I07, I08, I09, I10, I11, I12, I13~~
  - ~~J01, J03, J05, J07, J09, J11, J13~~
  - ~~K01, K02, K03, K04, K05, K06, K07, K08, K09, K10, K11, K12, K13~~
  - ~~L01, L03, L05, L07, L09, L11, L13~~
  - ~~M01, M02, M03, M04, M05, M06, M07, M08, M09, M10, M11, M12, M13~~
- Meander Corners indexed as
  - 001, 002, 003, 004, 005, 006, 007, 008, 009, 010


THIS TOWNSHIP SHOULD HAVE 55 CORNER RECORDS ON FILE PRIOR TO COMMENCING THE PERPETUAL MONUMENT MAINTENANCE PLAN

The above referenced number of corner records INCLUDES the following 2 GLO corner(s) to be completed and filed with the Menominee County Remonumentation Program prior to commencing the perpetual Monument Maintenance Plan and EXCLUDES the following 1 non-GLO corner(s) previously completed and filed with the Menominee County Remonumentation Program:

- GLO Corners to be completed and indexed as:
  - B01; C01
- non-GLO Corners previously completed and indexed as:
  - B12

# MENOMINEE COUNTY CORNER INDEX TOWNSHIP 36 NORTH - RANGE 25 WEST

- ▲ - INDICATES PREVIOUSLY PEER APPROVED GLO CORNER. (143)
- - INDICATES GLO CORNER TO BE COMPLETED PRIOR TO PERPETUAL MAINTENANCE. (12)
- - INDICATES PREVIOUSLY PEER APPROVED NON-GLO CORNER (1)
- - INDICATES GLO CORNER TO BE EXCLUDED FROM PROGRAM (0)



## T36N-R25W

ALL corners monumented by the General Land Office between the years 1846-1852

- Section and One-Quarter Corners indexed as:
  - A01, A02, A03, A04, A05, A06, A07, A08, A09, A10, A11, A12, A13
  - B01, B03, B05, B07, B09, B11, B13
  - C01, C02, C03, C04, C05, C06, C07, C08, C09, C10, C11, C12, C13
  - D01, D03, D05, D07, D09, D11, D13
  - E01, E02, E03, E04, E05, E06, E07, E08, E09, E10, E11, E12, E13
  - F01, F03, F05, F07, F09, F11, F13
  - G01, G02, G03, G04, G05, G06, G07, G08, G09, G10, G11, G12, G13
  - H01, H03, H05, H07, H09, H11, H13
  - I01, I02, I03, I04, I05, I06, I07, I08, I09, I10, I11, I12, I13
  - J01, J03, J05, J07, J09, J11, J13
  - K01, K02, K03, K04, K05, K06, K07, K08, K09, K10, K11, K12, K13
  - L01, L03, L05, L07, L09, L11, L13
  - M01, M02, M03, M04, M05, M06, M07, M08, M09, M10, M11, M12, M13
- Meander Corners indexed as
  - 001, 002, 003, 004, 005, 006, 007, 008, 009, 010, 011, 012, 013, 014, 015, 016, 017, 018, 021, 022


THIS TOWNSHIP SHOULD HAVE 155 CORNER RECORDS ON FILE PRIOR TO COMMENCING THE PERPETUAL MONUMENT MAINTENANCE PLAN

The above referenced number of corner records INCLUDES the following 12 GLO corner(s) to be completed and filed with the Menominee County Remonumentation Program prior to commencing the perpetual Monument Maintenance Plan and EXCLUDES the following 1 non-GLO corner(s) previously completed and filed with the Menominee County Remonumentation Program:

- GLO Meander Corners to be completed and indexed as:
  - 005, 006, 007, 008, 009, 010, 013, 014, 015, 016, 019, 020
- non-GLO Corners previously completed and indexed as:
  - B04

# MENOMINEE COUNTY CORNER INDEX TOWNSHIP 36 NORTH - RANGE 26 WEST

- ▲ - INDICATES PREVIOUSLY PEER APPROVED GLO CORNER. (133)
- - INDICATES GLO CORNER TO BE COMPLETED PRIOR TO PERPETUAL MAINTENANCE. (0)
- - INDICATES PREVIOUSLY PEER APPROVED NON-GLO CORNER (1)
- - INDICATES GLO CORNER TO BE EXCLUDED FROM PROGRAM (0)



## T36N-R26W

ALL corners monumented by the General Land Office between the years 1846-1852

- Section and One-Quarter Corners indexed as:
  - A01, A02, A03, A04, A05, A06, A07, A08, A09, A10, A11, A12, A13
  - B01, B03, B05, B07, B09, B11, B13
  - C01, C02, C03, C04, C05, C06, C07, C08, C09, C10, C11, C12, C13
  - D01, D03, D05, D07, D09, D11, D13
  - E01, E02, E03, E04, E05, E06, E07, E08, E09, E10, E11, E12, E13
  - F01, F03, F05, F07, F09, F11, F13
  - G01, G02, G03, G04, G05, G06, G07, G08, G09, G10, G11, G12, G13
  - H01, H03, H05, H07, H09, H11, H13
  - I01, I02, I03, I04, I05, I06, I07, I08, I09, I10, I11, I12, I13
  - J01, J03, J05, J07, J09, J11, J13
  - K01, K02, K03, K04, K05, K06, K07, K08, K09, K10, K11, K12, K13
  - L01, L03, L05, L07, L09, L11, L13
  - M01, M02, M03, M04, M05, M06, M07, M08, M09, M10, M11, M12, M13


THIS TOWNSHIP SHOULD HAVE 133 CORNER RECORDS ON FILE PRIOR TO COMMENCING THE PERPETUAL MONUMENT MAINTENANCE PLAN

The above referenced number of corner records INCLUDES the following 0 GLO corner(s) to be completed and filed with the Menominee County Remonumentation Program prior to commencing the perpetual Monument Maintenance Plan and EXCLUDES the following 1 non-GLO corner(s) previously completed and filed with the Menominee County Remonumentation Program:

- GLO Corners to be completed and indexed as:
  - NONE
- non-GLO Corners previously completed and indexed as:
  - L06

# MENOMINEE COUNTY CORNER INDEX TOWNSHIP 36 NORTH - RANGE 27 WEST

- ▲ - INDICATES PREVIOUSLY PEER APPROVED GLO CORNER. (133)
- - INDICATES GLO CORNER TO BE COMPLETED PRIOR TO PERPETUAL MAINTENANCE. (0)
- - INDICATES PREVIOUSLY PEER APPROVED NON-GLO CORNER (0)
- - INDICATES GLO CORNER TO BE EXCLUDED FROM PROGRAM (0)



## T36N-R27W

ALL corners monumented by the General Land Office between the years 1846-1852

- Section and One-Quarter Corners indexed as:
  - A01, A02, A03, A04, A05, A06, A07, A08, A09, A10, A11, A12, A13
  - B01, B03, B05, B07, B09, B11, B13
  - C01, C02, C03, C04, C05, C06, C07, C08, C09, C10, C11, C12, C13
  - D01, D03, D05, D07, D09, D11, D13
  - E01, E02, E03, E04, E05, E06, E07, E08, E09, E10, E11, E12, E13
  - F01, F03, F05, F07, F09, F11, F13
  - G01, G02, G03, G04, G05, G06, G07, G08, G09, G10, G11, G12, G13
  - H01, H03, H05, H07, H09, H11, H13
  - I01, I02, I03, I04, I05, I06, I07, I08, I09, I10, I11, I12, I13
  - J01, J03, J05, J07, J09, J11, J13
  - K01, K02, K03, K04, K05, K06, K07, K08, K09, K10, K11, K12, K13
  - L01, L03, L05, L07, L09, L11, L13
  - M01, M02, M03, M04, M05, M06, M07, M08, M09, M10, M11, M12, M13


THIS TOWNSHIP SHOULD HAVE 133 CORNER RECORDS ON FILE PRIOR TO COMMENCING THE PERPETUAL MONUMENT MAINTENANCE PLAN

The above referenced number of corner records INCLUDES the following 0 GLO corner(s) to be completed and filed with the Menominee County Remonumentation Program prior to commencing the perpetual Monument Maintenance Plan and EXCLUDES the following 0 non-GLO corner(s) previously completed and filed with the Menominee County Remonumentation Program:

- GLO Corners to be completed and indexed as:
  - NONE
- non-GLO Corners previously completed and indexed as:
  - NONE

# MENOMINEE COUNTY CORNER INDEX TOWNSHIP 36 NORTH - RANGE 28 WEST

- ▲ - INDICATES PREVIOUSLY PEER APPROVED GLO CORNER. (119)
- - INDICATES GLO CORNER TO BE COMPLETED PRIOR TO PERPETUAL MAINTENANCE. (1)
- - INDICATES PREVIOUSLY PEER APPROVED NON-GLO CORNER (0)
- - INDICATES GLO CORNER TO BE EXCLUDED FROM PROGRAM (0)



## T36N-R28W

ALL corners monumented by the General Land Office between the years 1846-1852

- Section and One-Quarter Corners indexed as:
  - ~~A01, A02, A03, A04, A05, A06, A07, A08, A09, A10, A11, A12, A13~~
  - B01, ~~B03, B05, B07, B09, B11~~, B13
  - C01, C02, C03, C04, C05, C06, ~~C07, C08, C09, C10~~, C11, C12, C13
  - D01, D03, D05, D07, D09, D11, D13
  - E01, E02, E03, E04, E05, E06, E07, ~~E08~~, E09, E10, E11, E12, E13
  - F01, F03, F05, F07, F09, F11, F13
  - G01, G02, G03, G04, G05, G06, G07, G08, G09, G10, G11, G12, G13
  - H01, H03, H05, H07, H09, H11, H13
  - I01, I02, I03, I04, I05, I06, I07, I08, I09, ~~I10~~, I11, I12, I13
  - J01, J03, J05, J07, J09, J11, J13
  - K01, K02, K03, K04, K05, K06, K07, K08, K09, K10, K11, K12, K13
  - L01, L03, L05, L07, L09, L11, L13
  - M01, M02, M03, M04, M05, M06, M07, M08, M09, M10, M11, M12, M13
  
- Meander Corners indexed as
  - 001, 002, 003, 004, 005, 009, 010, 011, 012, 014


THIS TOWNSHIP SHOULD HAVE 120 CORNER RECORDS ON FILE PRIOR TO COMMENCING THE PERPETUAL MONUMENT MAINTENANCE PLAN

The above referenced number of corner records INCLUDES the following 1 GLO corner(s) to be completed and filed with the Menominee County Remonumentation Program prior to commencing the perpetual Monument Maintenance Plan and EXCLUDES the following 0 non-GLO corner(s) previously completed and filed with the Menominee County Remonumentation Program:

- GLO Corners to be completed and indexed as:
  - E08
- non-GLO Corners previously completed and indexed as:
  - NONE

# MENOMINEE COUNTY CORNER INDEX TOWNSHIP 37 NORTH - RANGE 25 WEST

- ▲ - INDICATES PREVIOUSLY PEER APPROVED GLO CORNER. (131)
- - INDICATES GLO CORNER TO BE COMPLETED PRIOR TO PERPETUAL MAINTENANCE. (4)
- - INDICATES PREVIOUSLY PEER APPROVED NON-GLO CORNER (0)
- - INDICATES GLO CORNER TO BE EXCLUDED FROM PROGRAM (0)



## T37N-R25W

ALL corners monumented by the General Land Office between the years 1846-1852

- Section and One-Quarter Corners indexed as:
  - A01, A02, A03, A04, A05, A06, A07, A08, A09, A10, A11, A12, A13
  - B01, B03, B05, B07, B09, B11, B13
  - C01, C02, C03, C04, C05, C06, C07, C08, C09, C10, C11, C12, C13
  - D01, D03, D05, D07, D09, D11, D13
  - E01, E02, E03, E04, E05, E06, E07, E08, E09, E10, E11, E12, E13
  - F01, F03, F05, F07, F09, F11, F13
  - G01, G02, G03, G04, G05, G06, G07, G08, G09, G10, G11, G12, G13
  - H01, H03, H05, H07, H09, H11, H13
  - I01, I02, I03, I04, I05, I06, I07, I08, I09, I10, I11, I12, I13
  - J01, J03, J05, J07, J09, J11, J13
  - K01, K02, K03, K04, K05, K06, K07, K08, K09, K10, K11, K12, K13
  - L01, L03, L05, L07, L09, L11, L13
  - M01, M02, M03, M04, M05, M06, ~~M07~~, M08, M09, M10, M11, M12, M13
- Meander Corners indexed as  
001 and 002


THIS TOWNSHIP SHOULD HAVE 135 CORNER RECORDS ON FILE PRIOR TO COMMENCING THE PERPETUAL MONUMENT MAINTENANCE PLAN

The above referenced number of corner records INCLUDES the following 4 GLO corner(s) to be completed and filed with the Menominee County Remonumentation Program prior to commencing the perpetual Monument Maintenance Plan and EXCLUDES the following 0 non-GLO corner(s) previously completed and filed with the Menominee County Remonumentation Program:

- GLO Corners to be completed and indexed as:
  - F11; M07; Meander Corners 001; 002
- non-GLO Corners previously completed and indexed as:
  - NONE

# MENOMINEE COUNTY CORNER INDEX TOWNSHIP 37 NORTH - RANGE 26 WEST

- ▲ - INDICATES PREVIOUSLY PEER APPROVED GLO CORNER. (133)
- - INDICATES GLO CORNER TO BE COMPLETED PRIOR TO PERPETUAL MAINTENANCE. (0)
- - INDICATES PREVIOUSLY PEER APPROVED NON-GLO CORNER (0)
- - INDICATES GLO CORNER TO BE EXCLUDED FROM PROGRAM (0)



## T37N-R26W

ALL corners monumented by the General Land Office between the years 1846-1852

- Section and One-Quarter Corners indexed as:
  - A01, A02, A03, A04, A05, A06, A07, A08, A09, A10, A11, A12, A13
  - B01, B03, B05, B07, B09, B11, B13
  - C01, C02, C03, C04, C05, C06, C07, C08, C09, C10, C11, C12, C13
  - D01, D03, D05, D07, D09, D11, D13
  - E01, E02, E03, E04, E05, E06, E07, E08, E09, E10, E11, E12, E13
  - F01, F03, F05, F07, F09, F11, F13
  - G01, G02, G03, G04, G05, G06, G07, G08, G09, G10, G11, G12, G13
  - H01, H03, H05, H07, H09, H11, H13
  - I01, I02, I03, I04, I05, I06, I07, I08, I09, I10, I11, I12, I13
  - J01, J03, J05, J07, J09, J11, J13
  - K01, K02, K03, K04, K05, K06, K07, K08, K09, K10, K11, K12, K13
  - L01, L03, L05, L07, L09, L11, L13
  - M01, M02, M03, M04, M05, M06, M07, M08, M09, M10, M11, M12, M13


THIS TOWNSHIP SHOULD HAVE 133 CORNER RECORDS ON FILE PRIOR TO COMMENCING THE PERPETUAL MONUMENT MAINTENANCE PLAN

The above referenced number of corner records INCLUDES the following 0 GLO corner(s) to be completed and filed with the Menominee County Remonumentation Program prior to commencing the perpetual Monument Maintenance Plan and EXCLUDES the following 0 non-GLO corner(s) previously completed and filed with the Menominee County Remonumentation Program:

- GLO Corners to be completed and indexed as:
  - NONE
- non-GLO Corners previously completed and indexed as:
  - NONE

# MENOMINEE COUNTY CORNER INDEX TOWNSHIP 37 NORTH - RANGE 27 WEST

- ▲ - INDICATES PREVIOUSLY PEER APPROVED GLO CORNER. (132)
- - INDICATES GLO CORNER TO BE COMPLETED PRIOR TO PERPETUAL MAINTENANCE. (1)
- - INDICATES PREVIOUSLY PEER APPROVED NON-GLO CORNER (0)
- - INDICATES GLO CORNER TO BE EXCLUDED FROM PROGRAM (0)



## T37N-R27W

ALL corners monumented by the General Land Office between the years 1846-1852

- Section and One-Quarter Corners indexed as:
  - A01, A02, A03, A04, A05, A06, A07, A08, A09, A10, A11, A12, A13
  - B01, B03, B05, B07, B09, B11, B13
  - C01, C02, C03, C04, C05, C06, C07, C08, C09, C10, C11, C12, C13
  - D01, D03, D05, D07, D09, D11, D13
  - E01, E02, E03, E04, E05, E06, E07, E08, E09, E10, E11, E12, E13
  - F01, F03, F05, F07, F09, F11, F13
  - G01, G02, G03, G04, G05, G06, G07, G08, G09, G10, G11, G12, G13
  - H01, H03, H05, H07, H09, H11, H13
  - I01, I02, I03, I04, I05, I06, I07, I08, I09, I10, I11, I12, I13
  - J01, J03, J05, J07, J09, J11, J13
  - K01, K02, K03, K04, K05, K06, K07, K08, K09, K10, K11, K12, K13
  - L01, L03, L05, L07, L09, L11, L13
  - M01, M02, M03, M04, M05, M06, M07, M08, M09, M10, M11, M12, M13


THIS TOWNSHIP SHOULD HAVE 133 CORNER RECORDS ON FILE PRIOR TO COMMENCING THE PERPETUAL MONUMENT MAINTENANCE PLAN

The above referenced number of corner records INCLUDES the following 1 GLO corner(s) to be completed and filed with the Menominee County Remonumentation Program prior to commencing the perpetual Monument Maintenance Plan and EXCLUDES the following 0 non-GLO corner(s) previously completed and filed with the Menominee County Remonumentation Program:

- GLO Corners to be completed and indexed as:
  - D01
- non-GLO Corners previously completed and indexed as:
  - NONE

# MENOMINEE COUNTY CORNER INDEX TOWNSHIP 37 NORTH - RANGE 28 & 29 WEST

- ▲ - INDICATES PREVIOUSLY PEER APPROVED GLO CORNER (112 - IN T37N-R28W)
- ▲ - INDICATES PREVIOUSLY PEER APPROVED GLO CORNER (6 - IN T37N-R29W)
- - INDICATES GLO CORNER TO BE COMPLETED PRIOR TO PERPETUAL MAINTENANCE (1 - IN T37N-R28W)
- - INDICATES PREVIOUSLY PEER APPROVED NON-GLO CORNER (1 - IN T37N-R28W)
- - INDICATES GLO CORNER TO BE EXCLUDED FROM PROGRAM (0)



## T37N-R28W

ALL corners monumented by the General Land Office between the years 1846-1852

- Section and One-Quarter Corners indexed as:
  - ~~A01, A02, A03, A04, A05, A06, A07, A08, A09, A10, A11, A12, A13~~
  - ~~B01, B03, B05, B07, B09, B11, B13~~
  - C01, C02, ~~C03, C04, C05, C06, C07, C08, C09, C10, C11~~, C12, C13
  - D01, D03, ~~D05, D07, D09, D11, D13~~
  - E01, E02, E03, E04, ~~E05, E06, E07, E08~~, E09, E10, E11, E12, E13
  - F01, F03, F05, F07, F09, F11, F13
  - G01, G02, G03, G04, G05, G06, G07, G08, G09, G10, G11, G12, G13
  - H01, H03, H05, H07, H09, H11, H13
  - I01, I02, I03, I04, I05, I06, I07, I08, I09, I10, I11, I12, I13
  - J01, J03, J05, J07, J09, J11, J13
  - K01, K02, K03, K04, K05, K06, K07, K08, K09, K10, K11, K12, K13
  - L01, L03, L05, L07, L09, L11, L13
  - M01, M02, M03, M04, M05, M06, ~~M07~~, M08, M09, M10, M11, M12, M13
- Meander Corners indexed as  
001, 002, 003, 004, 005, 006, 007, 008, 009, 010, 011, 012, 013, 014


THIS TOWNSHIP SHOULD HAVE 113 CORNER RECORDS ON FILE PRIOR TO COMMENCING THE PERPETUAL MONUMENT MAINTENANCE PLAN

The above referenced number of corner records INCLUDES the following 1 GLO corner(s) to be completed and filed with the Menominee County Remonumentation Program prior to commencing the perpetual Monument Maintenance Plan and EXCLUDES the following 1 non-GLO corner(s) previously completed and filed with the Menominee County Remonumentation Program:

- GLO Corners to be completed and indexed as:
  - H03
- non-GLO Corners previously completed and indexed as:
  - D12

# MENOMINEE COUNTY CORNER INDEX TOWNSHIP 37 NORTH - RANGE 28 & 29 WEST

- ▲ - INDICATES PREVIOUSLY PEER APPROVED GLO CORNER (112 - IN T37N-R28W)
- ▲ - INDICATES PREVIOUSLY PEER APPROVED GLO CORNER (6 - IN T37N-R29W)
- - INDICATES GLO CORNER TO BE COMPLETED PRIOR TO PERPETUAL MAINTENANCE (1 - IN T37N-R28W)
- - INDICATES PREVIOUSLY PEER APPROVED NON-GLO CORNER (0)
- - INDICATES GLO CORNER TO BE EXCLUDED FROM PROGRAM (0)



## T37N-R29W

ALL corners monumented by the General Land Office between the years 1846-1852

- Section and One-Quarter Corners indexed as:
  - ~~A01, A02, A03, A04, A05, A06, A07, A08, A09, A10, A11, A12, A13~~
  - ~~B01, B03, B05, B07, B09, B11, B13~~
  - ~~C01, C02, C03, C04, C05, C06, C07, C08, C09, C10, C11, C12, C13~~
  - ~~D01, D03, D05, D07, D09, D11, D13~~
  - ~~E01, E02, E03, E04, E05, E06, E07, E08, E09, E10, E11, E12, E13~~
  - ~~F01, F03, F05, F07, F09, F11, F13~~
  - ~~G01, G02, G03, G04, G05, G06, G07, G08, G09, G10, G11, G12, G13~~
  - ~~H01, H03, H05, H07, H09, H11, H13~~
  - ~~I01, I02, I03, I04, I05, I06, I07, I08, I09, I10, I11, I12, I13~~
  - ~~J01, J03, J05, J07, J09, J11, J13~~
  - ~~K01, K02, K03, K04, K05, K06, K07, K08, K09, K10, K11, K12, K13~~
  - ~~L01, L03, L05, L07, L09, L11, L13~~
  - ~~M01, M02, M03, M04, M05, M06, M07, M08, M09, M10, M11, M12, M13~~
- Meander Corners indexed as  
001, 002 and 003


THIS TOWNSHIP SHOULD HAVE 6 CORNER RECORDS ON FILE PRIOR TO COMMENCING THE PERPETUAL MONUMENT MAINTENANCE PLAN

The above referenced number of corner records INCLUDES the following 0 GLO corner(s) to be completed and filed with the Menominee County Remonumentation Program prior to commencing the perpetual Monument Maintenance Plan and EXCLUDES the following 0 non-GLO corner(s) previously completed and filed with the Menominee County Remonumentation Program:

- GLO Corners to be completed and indexed as:
  - NONE
- non-GLO Corners previously completed and indexed as:
  - NONE

# MENOMINEE COUNTY CORNER INDEX TOWNSHIP 38 NORTH - RANGE 25 WEST

- ▲ - INDICATES PREVIOUSLY PEER APPROVED GLO CORNER. (133)
- - INDICATES GLO CORNER TO BE COMPLETED PRIOR TO PERPETUAL MAINTENANCE. (1)
- - INDICATES PREVIOUSLY PEER APPROVED NON-GLO CORNER (3)
- - INDICATES GLO CORNER TO BE EXCLUDED FROM PROGRAM (0)



## T38N-R25W

ALL corners monumented by the General Land Office between the years 1846-1852

- Section and One-Quarter Corners indexed as:
  - A01, A02, A03, A04, A05, A06, A07, A08, A09, A10, A11, A12, A13
  - B01, B03, B05, B07, B09, B11, B13
  - C01, C02, C03, C04, C05, C06, C07, C08, C09, C10, C11, C12, C13
  - D01, D03, D05, D07, D09, D11, D13
  - E01, E02, E03, E04, E05, E06, E07, E08, E09, E10, E11, E12, E13
  - F01, F03, F05, F07, F09, F11, F13
  - G01, G02, G03, G04, G05, G06, G07, G08, G09, G10, G11, G12, G13
  - H01, H03, H05, H07, H09, H11, H13
  - I01, I02, I03, I04, I05, I06, I07, I08, I09, I10, I11, I12, I13
  - J01, J03, J05, J07, J09, J11, J13
  - K01, K02, K03, K04, K05, K06, K07, K08, K09, K10, K11, K12, K13
  - L01, L03, L05, L07, L09, L11, L13
  - M01, M02, M03, M04, M05, M06, M07, M08, M09, M10, M11, M12, M13
- Meander Corners indexed as  
001


THIS TOWNSHIP SHOULD HAVE 134 CORNER RECORDS ON FILE PRIOR TO COMMENCING THE PERPETUAL MONUMENT MAINTENANCE PLAN

The above referenced number of corner records INCLUDES the following 1 GLO corner(s) to be completed and filed with the Menominee County Remonumentation Program prior to commencing the perpetual Monument Maintenance Plan and EXCLUDES the following 3 non-GLO corner(s) previously completed and filed with the Menominee County Remonumentation Program:

- GLO Corners to be completed and indexed as:
  - M09
- non-GLO Corners previously completed and indexed as:
  - D04; J04; L02

# MENOMINEE COUNTY CORNER INDEX TOWNSHIP 38 NORTH - RANGE 26 WEST

- ▲ - INDICATES PREVIOUSLY PEER APPROVED GLO CORNER. (133)
- - INDICATES GLO CORNER TO BE COMPLETED PRIOR TO PERPETUAL MAINTENANCE. (0)
- - INDICATES PREVIOUSLY PEER APPROVED NON-GLO CORNER (0)
- - INDICATES GLO CORNER TO BE EXCLUDED FROM PROGRAM (0)



## T38N-R26W

ALL corners monumented by the General Land Office between the years 1846-1852

- Section and One-Quarter Corners indexed as:
  - A01, A02, A03, A04, A05, A06, A07, A08, A09, A10, A11, A12, A13
  - B01, B03, B05, B07, B09, B11, B13
  - C01, C02, C03, C04, C05, C06, C07, C08, C09, C10, C11, C12, C13
  - D01, D03, D05, D07, D09, D11, D13
  - E01, E02, E03, E04, E05, E06, E07, E08, E09, E10, E11, E12, E13
  - F01, F03, F05, F07, F09, F11, F13
  - G01, G02, G03, G04, G05, G06, G07, G08, G09, G10, G11, G12, G13
  - H01, H03, H05, H07, H09, H11, H13
  - I01, I02, I03, I04, I05, I06, I07, I08, I09, I10, I11, I12, I13
  - J01, J03, J05, J07, J09, J11, J13
  - K01, K02, K03, K04, K05, K06, K07, K08, K09, K10, K11, K12, K13
  - L01, L03, L05, L07, L09, L11, L13
  - M01, M02, M03, M04, M05, M06, M07, M08, M09, M10, M11, M12, M13


THIS TOWNSHIP SHOULD HAVE 133 CORNER RECORDS ON FILE PRIOR TO COMMENCING THE PERPETUAL MONUMENT MAINTENANCE PLAN

The above referenced number of corner records INCLUDES the following 0 GLO corner(s) to be completed and filed with the Menominee County Remonumentation Program prior to commencing the perpetual Monument Maintenance Plan and EXCLUDES the following 0 non-GLO corner(s) previously completed and filed with the Menominee County Remonumentation Program:

- GLO Corners to be completed and indexed as:
  - NONE
- non-GLO Corners previously completed and indexed as:
  - NONE

# MENOMINEE COUNTY CORNER INDEX TOWNSHIP 38 NORTH - RANGE 27 WEST

- ▲ - INDICATES PREVIOUSLY PEER APPROVED GLO CORNER. (132)
- - INDICATES GLO CORNER TO BE COMPLETED PRIOR TO PERPETUAL MAINTENANCE. (1)
- - INDICATES PREVIOUSLY PEER APPROVED NON-GLO CORNER (1)
- - INDICATES GLO CORNER TO BE EXCLUDED FROM PROGRAM (0)



## T38N-R27W

ALL corners monumented by the General Land Office between the years 1846-1852

- Section and One-Quarter Corners indexed as:
  - A01, A02, A03, A04, A05, A06, A07, A08, A09, A10, A11, A12, A13
  - B01, B03, B05, B07, B09, B11, B13
  - C01, C02, C03, C04, C05, C06, C07, C08, C09, C10, C11, C12, C13
  - D01, D03, D05, D07, D09, D11, D13
  - E01, E02, E03, E04, E05, E06, E07, E08, E09, E10, E11, E12, E13
  - F01, F03, F05, F07, F09, F11, F13
  - G01, G02, G03, G04, G05, G06, G07, G08, G09, G10, G11, G12, G13
  - H01, H03, H05, H07, H09, H11, H13
  - I01, I02, I03, I04, I05, I06, I07, I08, I09, I10, I11, I12, I13
  - J01, J03, J05, J07, J09, J11, J13
  - K01, K02, K03, K04, K05, K06, K07, K08, K09, K10, K11, K12, K13
  - L01, L03, L05, L07, L09, L11, L13
  - M01, M02, M03, M04, M05, M06, M07, M08, M09, M10, M11, M12, M13


THIS TOWNSHIP SHOULD HAVE 133 CORNER RECORDS ON FILE PRIOR TO COMMENCING THE PERPETUAL MONUMENT MAINTENANCE PLAN

The above referenced number of corner records INCLUDES the following 1 GLO corner(s) to be completed and filed with the Menominee County Remonumentation Program prior to commencing the perpetual Monument Maintenance Plan and EXCLUDES the following 1 non-GLO corner(s) previously completed and filed with the Menominee County Remonumentation Program:

- GLO Corners to be completed and indexed as:
  - D13
- non-GLO Corners previously completed and indexed as:
  - F10

# MENOMINEE COUNTY CORNER INDEX TOWNSHIP 38 NORTH - RANGE 28 WEST

- ▲ - INDICATES PREVIOUSLY PEER APPROVED GLO CORNER. (126)
- - INDICATES GLO CORNER TO BE COMPLETED PRIOR TO PERPETUAL MAINTENANCE. (0)
- - INDICATES PREVIOUSLY PEER APPROVED NON-GLO CORNER (0)
- - INDICATES GLO CORNER TO BE EXCLUDED FROM PROGRAM (1)



## T38N-R28W

ALL corners monumented by the General Land Office between the years 1846-1852

- Section and One-Quarter Corners indexed as:
  - A01, A02, ~~A03, A04, A05, A06, A07, A08, A09~~, A10, A11, ~~A12, A13~~
  - B01, ~~B03, B05, B07~~, B09, B11, ~~B13~~
  - C01, C02, C03, C04, C05, ~~C06, C07, C08~~, C09, C10, C11, C12, C13
  - D01, D03, D05, ~~D07~~, D09, D11, D13
  - E01, E02, E03, E04, E05, E06, E07, E08, E09, E10, E11, ~~E12~~, E13
  - F01, F03, F05, F07, F09, F11, F13
  - G01, G02, G03, G04, G05, G06, G07, G08, G09, G10, G11, G12, G13
  - H01, H03, H05, H07, H09, H11, H13
  - I01, I02, I03, I04, I05, I06, I07, I08, I09, I10, I11, I12, I13
  - J01, J03, J05, J07, J09, J11, J13
  - K01, K02, K03, K04, K05, K06, K07, K08, K09, K10, K11, K12, K13
  - L01, L03, L05, L07, L09, L11, L13
  - M01, M02, M03, M04, M05, M06, M07, M08, M09, M10, M11, M12, M13
- Meander Corners indexed as
  - 001, 002, 003, 004, 006, 007, 008, 009, 010, 011, 012

THIS TOWNSHIP SHOULD HAVE 126 CORNER RECORDS ON FILE PRIOR TO COMMENCING THE PERPETUAL MONUMENT MAINTENANCE PLAN

The above referenced number of corner records INCLUDES the following 0 GLO corner(s) to be completed and filed with the Menominee County Remonumentation Program prior to commencing the perpetual Monument Maintenance Plan and EXCLUDES 0 non-GLO corners previously completed and filed with the Menominee County Remonumentation Program:


- GLO Corners to be completed and indexed as:
  - NONE
- non-GLO Corners previously completed and indexed as:
  - NONE

The above referenced number of corner records EXCLUDES the following 1 GLO corner(s) which will NOT be completed and filed with the Menominee County Remonumentation Program prior to commencing the perpetual Monument Maintenance Plan

- GLO Corners NOT to be completed and indexed as:
  - Meander Corner 005

# MENOMINEE COUNTY CORNER INDEX TOWNSHIP 38 NORTH - RANGE 29 WEST

- INDICATES PREVIOUSLY PEER APPROVED GLO CORNER. (11)
- INDICATES GLO CORNER TO BE COMPLETED PRIOR TO PERPETUAL MAINTENANCE. (0)
- INDICATES PREVIOUSLY PEER APPROVED NON-GLO CORNER (0)
- INDICATES GLO CORNER TO BE EXCLUDED FROM PROGRAM (1)



## T38N-R29W

ALL corners monumented by the General Land Office between the years 1846-1852

- Section and One-Quarter Corners indexed as:
  - ~~A01, A02, A03, A04, A05, A06, A07, A08, A09, A10, A11, A12, A13~~
  - ~~B01, B03, B05, B07, B09, B11, B13~~
  - ~~C01, C02, C03, C04, C05, C06, C07, C08, C09, C10, C11, C12, C13~~
  - ~~D01, D03, D05, D07, D09, D11, D13~~
  - ~~E01, E02, E03, E04, E05, E06, E07, E08, E09, E10, E11, E12, E13~~
  - ~~F01, F03, F05, F07, F09, F11, F13~~
  - ~~G01, G02, G03, G04, G05, G06, G07, G08, G09, G10, G11, G12, G13~~
  - ~~H01, H03, H05, H07, H09, H11, H13~~
  - ~~I01, I02, I03, I04, I05, I06, I07, I08, I09, I10, I11, I12, I13~~
  - ~~J01, J03, J05, J07, J09, J11, J13~~
  - ~~K01, K02, K03, K04, K05, K06, K07, K08, K09, K10, K11, K12, K13~~
  - ~~L01, L03, L05, L07, L09, L11, L13~~
  - ~~M01, M02, M03, M04, M05, M06, M07, M08, M09, M10, M11, M12, M13~~
- Meander Corners indexed as
  - 001, 002, 003, 004, 005

THIS TOWNSHIP SHOULD HAVE 11 CORNER RECORDS ON FILE PRIOR TO COMMENCING THE PERPETUAL MONUMENT MAINTENANCE PLAN

The above referenced number of corner records INCLUDES the following 0 GLO corner(s) to be completed and filed with the Menominee County Remonumentation Program prior to commencing the perpetual Monument Maintenance Plan and EXCLUDES 0 non-GLO corners previously completed and filed with the Menominee County Remonumentation Program:


- GLO Corners to be completed and indexed as:
  - NONE
- non-GLO Corners previously completed and indexed as:
  - NONE

The above referenced number of corner records EXCLUDES the following 1 GLO corner(s) which will NOT be completed and filed with the Menominee County Remonumentation Program prior to commencing the perpetual Monument Maintenance Plan

- GLO Corners NOT to be completed and indexed as:
  - Meander Corner 006

# MENOMINEE COUNTY CORNER INDEX TOWNSHIP 39 NORTH - RANGE 25 WEST

- ▲ - INDICATES PREVIOUSLY PEER APPROVED GLO CORNER. (130)
- - INDICATES GLO CORNER TO BE COMPLETED PRIOR TO PERPETUAL MAINTENANCE. (3)
- - INDICATES PREVIOUSLY PEER APPROVED NON-GLO CORNER (0)
- - INDICATES GLO CORNER TO BE EXCLUDED FROM PROGRAM (1)



## T39N-R25W

ALL corners monumented by the General Land Office between the years 1846-1852

- Section and One-Quarter Corners indexed as:
  - A01, A02, A03, A04, A05, A06, A07, A08, A09, A10, A11, A12, A13
  - B01, B03, B05, B07, B09, B11, B13
  - C01, C02, C03, C04, C05, C06, C07, C08, C09, C10, C11, C12, C13
  - D01, D03, D05, D07, D09, D11, D13
  - E01, E02, E03, E04, E05, E06, E07, E08, E09, E10, E11, E12, E13
  - F01, F03, F05, F07, F09, F11, F13
  - G01, G02, G03, G04, G05, G06, G07, G08, G09, G10, G11, G12, G13
  - H01, H03, H05, H07, H09, H11, H13
  - I01, I02, I03, I04, I05, I06, I07, I08, I09, I10, I11, I12, I13
  - J01, J03, J05, J07, J09, J11, J13
  - K01, K02, K03, K04, K05, K06, K07, K08, K09, K10, K11, K12, K13
  - L01, L03, L05, L07, L09, L11, L13
  - M01, M02, M03, M04, M05, M06, M07, M08, M09, M10, M11, ~~M12~~, M13
- Meander Corners indexed as  
001

THIS TOWNSHIP SHOULD HAVE 133 CORNER RECORDS ON FILE PRIOR TO COMMENCING THE PERPETUAL MONUMENT MAINTENANCE PLAN

The above referenced number of corner records INCLUDES the following 3 GLO corner(s) to be completed and filed with the Menominee County Remonumentation Program prior to commencing the perpetual Monument Maintenance Plan and EXCLUDES the following 0 non-GLO corner(s) previously completed and filed with the Menominee County Remonumentation Program:


- GLO Corners to be completed and indexed as:
  - C12; D07; E12
- non-GLO Corners previously completed and indexed as:
  - NONE

The above referenced number of corner records EXCLUDES the following 1 GLO corner(s) which will NOT be completed and filed with the Menominee County Remonumentation Program prior to commencing the perpetual Monument Maintenance Plan

- GLO Corners NOT to be completed and indexed as:
  - M12

# MENOMINEE COUNTY CORNER INDEX TOWNSHIP 39 NORTH - RANGE 26 WEST

- ▲ - INDICATES PREVIOUSLY PEER APPROVED GLO CORNER. (133)
- - INDICATES GLO CORNER TO BE COMPLETED PRIOR TO PERPETUAL MAINTENANCE. (0)
- - INDICATES PREVIOUSLY PEER APPROVED NON-GLO CORNER (0)
- - INDICATES GLO CORNER TO BE EXCLUDED FROM PROGRAM (0)



## T39N-R26W

ALL corners monumented by the General Land Office between the years 1846-1852

- Section and One-Quarter Corners indexed as:
  - A01, A02, A03, A04, A05, A06, A07, A08, A09, A10, A11, A12, A13
  - B01, B03, B05, B07, B09, B11, B13
  - C01, C02, C03, C04, C05, C06, C07, C08, C09, C10, C11, C12, C13
  - D01, D03, D05, D07, D09, D11, D13
  - E01, E02, E03, E04, E05, E06, E07, E08, E09, E10, E11, E12, E13
  - F01, F03, F05, F07, F09, F11, F13
  - G01, G02, G03, G04, G05, G06, G07, G08, G09, G10, G11, G12, G13
  - H01, H03, H05, H07, H09, H11, H13
  - I01, I02, I03, I04, I05, I06, I07, I08, I09, I10, I11, I12, I13
  - J01, J03, J05, J07, J09, J11, J13
  - K01, K02, K03, K04, K05, K06, K07, K08, K09, K10, K11, K12, K13
  - L01, L03, L05, L07, L09, L11, L13
  - M01, M02, M03, M04, M05, M06, M07, M08, M09, M10, M11, M12, M13


THIS TOWNSHIP SHOULD HAVE 133 CORNER RECORDS ON FILE PRIOR TO COMMENCING THE PERPETUAL MONUMENT MAINTENANCE PLAN

The above referenced number of corner records INCLUDES the following 0 GLO corner(s) to be completed and filed with the Menominee County Remonumentation Program prior to commencing the perpetual Monument Maintenance Plan and EXCLUDES the following 0 non-GLO corner(s) previously completed and filed with the Menominee County Remonumentation Program:

- GLO Corners to be completed and indexed as:
  - NONE
- non-GLO Corners previously completed and indexed as:
  - NONE

# MENOMINEE COUNTY CORNER INDEX TOWNSHIP 39 NORTH - RANGE 27 WEST

- ▲ - INDICATES PREVIOUSLY PEER APPROVED GLO CORNER. (135)
- - INDICATES GLO CORNER TO BE COMPLETED PRIOR TO PERPETUAL MAINTENANCE. (0)
- - INDICATES PREVIOUSLY PEER APPROVED NON-GLO CORNER (0)
- - INDICATES GLO CORNER TO BE EXCLUDED FROM PROGRAM (0)



## T39N-R27W

ALL corners monumented by the General Land Office between the years 1846-1852

- Section and One-Quarter Corners indexed as:
  - A01, A02, A03, A04, A05, A06, A07, A08, A09, A10, A11, A12, A13
  - B01, B03, B05, B07, B09, B11, B13
  - C01, C02, C03, C04, C05, C06, C07, C08, C09, C10, C11, C12, C13
  - D01, D03, D05, D07, D09, D11, D13
  - E01, E02, E03, E04, E05, E06, E07, E08, E09, E10, E11, E12, E13
  - F01, F03, F05, F07, F09, F11, F13
  - G01, G02, G03, G04, G05, G06, G07, G08, G09, G10, G11, G12, G13
  - H01, H03, H05, H07, H09, H11, H13
  - I01, I02, I03, I04, I05, I06, I07, I08, I09, I10, I11, I12, I13
  - J01, J03, J05, J07, J09, J11, J13
  - K01, K02, K03, K04, K05, K06, K07, K08, K09, K10, K11, K12, K13
  - L01, L03, L05, L07, L09, L11, L13
  - M01, M02, M03, M04, M05, M06, M07, M08, M09, M10, M11, M12, M13
- Meander Corners indexed as  
001 and 002


THIS TOWNSHIP SHOULD HAVE 135 CORNER RECORDS ON FILE PRIOR TO COMMENCING THE PERPETUAL MONUMENT MAINTENANCE PLAN

The above referenced number of corner records INCLUDES the following 0 GLO corner(s) to be completed and filed with the Menominee County Remonumentation Program prior to commencing the perpetual Monument Maintenance Plan and EXCLUDES the following 0 non-GLO corners previously completed and filed with the Menominee County Remonumentation Program:

- GLO Corners to be completed and indexed as:
  - NONE
- non-GLO Corners previously completed and indexed as:
  - NONE

# MENOMINEE COUNTY CORNER INDEX TOWNSHIP 40 NORTH - RANGE 25 WEST

- ▲ - INDICATES PREVIOUSLY PEER APPROVED GLO CORNER. (133)
- - INDICATES GLO CORNER TO BE COMPLETED PRIOR TO PERPETUAL MAINTENANCE. (0)
- - INDICATES PREVIOUSLY PEER APPROVED NON-GLO CORNER (0)
- - INDICATES GLO CORNER TO BE EXCLUDED FROM PROGRAM (0)



## T40N-R25W

ALL corners monumented by the General Land Office between the years 1846-1852

- Section and One-Quarter Corners indexed as:
  - A01, A02, A03, A04, A05, A06, A07, A08, A09, A10, A11, A12, A13
  - B01, B03, B05, B07, B09, B11, B13
  - C01, C02, C03, C04, C05, C06, C07, C08, C09, C10, C11, C12, C13
  - D01, D03, D05, D07, D09, D11, D13
  - E01, E02, E03, E04, E05, E06, E07, E08, E09, E10, E11, E12, E13
  - F01, F03, F05, F07, F09, F11, F13
  - G01, G02, G03, G04, G05, G06, G07, G08, G09, G10, G11, G12, G13
  - H01, H03, H05, H07, H09, H11, H13
  - I01, I02, I03, I04, I05, I06, I07, I08, I09, I10, I11, I12, I13
  - J01, J03, J05, J07, J09, J11, J13
  - K01, K02, K03, K04, K05, K06, K07, K08, K09, K10, K11, K12, K13
  - L01, L03, L05, L07, L09, L11, L13
  - M01, M02, M03, M04, M05, M06, M07, M08, M09, M10, M11, M12, M13

ALL non-GLO corners which are PROTRACTED ONE-QUARTER CORNERS, not set by General Land Office (GLO) between the years 1846-1852 in Menominee County, that are located along the 4<sup>th</sup> Correction line

- Protracted One-Quarter Corners indexed as:
  - B01, D01, F01, H01, J01, L01


THIS TOWNSHIP SHOULD HAVE 133 CORNER RECORDS ON FILE PRIOR TO COMMENCING THE PERPETUAL MONUMENT MAINTENANCE PLAN

The above referenced number of corner records INCLUDES the following 0 GLO corner(s) to be completed and filed with the Menominee County Remonumentation Program prior to commencing the perpetual Monument Maintenance Plan and EXCLUDES the following 0 non-GLO corner(s) previously completed and filed with the Menominee County Remonumentation Program:

- GLO Corners to be completed and indexed as:
  - NONE
- non-GLO Corners previously completed and indexed as:
  - NONE

# MENOMINEE COUNTY CORNER INDEX TOWNSHIP 40 NORTH - RANGE 26 WEST

- ▲ - INDICATES PREVIOUSLY PEER APPROVED GLO CORNER. (133)
- - INDICATES GLO CORNER TO BE COMPLETED PRIOR TO PERPETUAL MAINTENANCE. (0)
- - INDICATES PREVIOUSLY PEER APPROVED NON-GLO CORNER (1)
- - INDICATES GLO CORNER TO BE EXCLUDED FROM PROGRAM (0)



## T40N-R26W

ALL corners monumented by the General Land Office between the years 1846-1852

- Section and One-Quarter Corners indexed as:
  - A01, A02, A03, A04, A05, A06, A07, A08, A09, A10, A11, A12, A13
  - B01, B03, B05, B07, B09, B11, B13
  - C01, C02, C03, C04, C05, C06, C07, C08, C09, C10, C11, C12, C13
  - D01, D03, D05, D07, D09, D11, D13
  - E01, E02, E03, E04, E05, E06, E07, E08, E09, E10, E11, E12, E13
  - F01, F03, F05, F07, F09, F11, F13
  - G01, G02, G03, G04, G05, G06, G07, G08, G09, G10, G11, G12, G13
  - H01, H03, H05, H07, H09, H11, H13
  - I01, I02, I03, I04, I05, I06, I07, I08, I09, I10, I11, I12, I13
  - J01, J03, J05, J07, J09, J11, J13
  - K01, K02, K03, K04, K05, K06, K07, K08, K09, K10, K11, K12, K13
  - L01, L03, L05, L07, L09, L11, L13
  - M01, M02, M03, M04, M05, M06, M07, M08, M09, M10, M11, M12, M13

ALL non-GLO corners which are PROTRACTED ONE-QUARTER CORNERS, not set by General Land Office (GLO) between the years 1846-1852 in Menominee County, that are located along the 4<sup>th</sup> Correction line

- Protracted One-Quarter Corners indexed as:
  - B01, D01, F01, H01, J01, L01


THIS TOWNSHIP SHOULD HAVE 133 CORNER RECORDS ON FILE PRIOR TO COMMENCING THE PERPETUAL MONUMENT MAINTENANCE PLAN

The above referenced number of corner records INCLUDES the following 0 GLO corner(s) to be completed and filed with the Menominee County Remonumentation Program prior to commencing the perpetual Monument Maintenance Plan and EXCLUDES 1 non-GLO corners previously completed and filed with the Menominee County Remonumentation Program:

- GLO Corners to be completed and indexed as:
  - NONE
- non-GLO Corners previously completed and indexed as:
  - J08

# MENOMINEE COUNTY CORNER INDEX TOWNSHIP 40 NORTH - RANGE 27 WEST

- ▲ - INDICATES PREVIOUSLY PEER APPROVED GLO CORNER. (133)
- - INDICATES GLO CORNER TO BE COMPLETED PRIOR TO PERPETUAL MAINTENANCE. (0)
- - INDICATES PREVIOUSLY PEER APPROVED NON-GLO CORNER (0)
- - INDICATES GLO CORNER TO BE EXCLUDED FROM PROGRAM (0)



## T40N-R27W

ALL corners monumented by the General Land Office between the years 1846-1852

- Section and One-Quarter Corners indexed as:
  - A01, A02, A03, A04, A05, A06, A07, A08, A09, A10, A11, A12, A13
  - B01, B03, B05, B07, B09, B11, B13
  - C01, C02, C03, C04, C05, C06, C07, C08, C09, C10, C11, C12, C13
  - D01, D03, D05, D07, D09, D11, D13
  - E01, E02, E03, E04, E05, E06, E07, E08, E09, E10, E11, E12, E13
  - F01, F03, F05, F07, F09, F11, F13
  - G01, G02, G03, G04, G05, G06, G07, G08, G09, G10, G11, G12, G13
  - H01, H03, H05, H07, H09, H11, H13
  - I01, I02, I03, I04, I05, I06, I07, I08, I09, I10, I11, I12, I13
  - J01, J03, J05, J07, J09, J11, J13
  - K01, K02, K03, K04, K05, K06, K07, K08, K09, K10, K11, K12, K13
  - L01, L03, L05, L07, L09, L11, L13
  - M01, M02, M03, M04, M05, M06, M07, M08, M09, M10, M11, M12, M13

ALL non-GLO corners which are PROTRACTED ONE-QUARTER CORNERS, not set by General Land Office (GLO) between the years 1846-1852 in Menominee County, that are located along the 4<sup>th</sup> Correction line

- Protracted One-Quarter Corners indexed as:
  - B01, D01, F01, H01, J01, L01


THIS TOWNSHIP SHOULD HAVE 133 CORNER RECORDS ON FILE PRIOR TO COMMENCING THE PERPETUAL MONUMENT MAINTENANCE PLAN

The above referenced number of corner records INCLUDES the following 0 GLO corner(s) to be completed and filed with the Menominee County Remonumentation Program prior to commencing the perpetual Monument Maintenance Plan and EXCLUDES 0 non-GLO corners previously completed and filed with the Menominee County Remonumentation Program:

- GLO Corners to be completed and indexed as:
  - NONE
- non-GLO Corners previously completed and indexed as:
  - NONE

# MENOMINEE COUNTY CORNER INDEX TOWNSHIP 41 NORTH - RANGE 25 WEST

- ▲ - INDICATES PREVIOUSLY PEER APPROVED GLO CORNER. (133)
- - INDICATES GLO CORNER TO BE COMPLETED PRIOR TO PERPETUAL MAINTENANCE. (0)
- - INDICATES PREVIOUSLY PEER APPROVED NON-GLO CORNER (0)
- - INDICATES GLO CORNER TO BE EXCLUDED FROM PROGRAM (0)



## T41N-R25W

ALL corners monumented by the General Land Office between the years 1846-1852

- Section and One-Quarter Corners indexed as:
  - A01, A02, A03, A04, A05, A06, A07, A08, A09, A10, A11, A12, A13
  - B01, B03, B05, B07, B09, B11, B13
  - C01, C02, C03, C04, C05, C06, C07, C08, C09, C10, C11, C12, C13
  - D01, D03, D05, D07, D09, D11, D13
  - E01, E02, E03, E04, E05, E06, E07, E08, E09, E10, E11, E12, E13
  - F01, F03, F05, F07, F09, F11, F13
  - G01, G02, G03, G04, G05, G06, G07, G08, G09, G10, G11, G12, G13
  - H01, H03, H05, H07, H09, H11, H13
  - I01, I02, I03, I04, I05, I06, I07, I08, I09, I10, I11, I12, I13
  - J01, J03, J05, J07, J09, J11, J13
  - K01, K02, K03, K04, K05, K06, K07, K08, K09, K10, K11, K12, K13
  - L01, L03, L05, L07, L09, L11, L13
  - M01, M02, M03, M04, M05, M06, M07, M08, M09, M10, M11, M12, M13


THIS TOWNSHIP SHOULD HAVE 133 CORNER RECORDS ON FILE PRIOR TO COMMENCING THE PERPETUAL MONUMENT MAINTENANCE PLAN

The above referenced number of corner records INCLUDES the following 0 GLO corner(s) to be completed and filed with the Menominee County Remonumentation Program prior to commencing the perpetual Monument Maintenance Plan and EXCLUDES 0 non-GLO corners previously completed and filed with the Menominee County Remonumentation Program:

- GLO Corners to be completed and indexed as:
  - NONE
- non-GLO Corners previously completed and indexed as:
  - NONE

# MENOMINEE COUNTY CORNER INDEX TOWNSHIP 41 NORTH - RANGE 26 WEST

- ▲ - INDICATES PREVIOUSLY PEER APPROVED GLO CORNER. (75)
- - INDICATES GLO CORNER TO BE COMPLETED PRIOR TO PERPETUAL MAINTENANCE. (58)
- - INDICATES PREVIOUSLY PEER APPROVED NON-GLO CORNER (0)
- - INDICATES GLO CORNER TO BE EXCLUDED FROM PROGRAM (0)



## T41N-R26W

ALL corners monumented by the General Land Office between the years 1846-1852

- Section and One-Quarter Corners indexed as:
  - A01, A02, A03, A04, A05, A06, A07, A08, A09, A10, A11, A12, A13
  - B01, B03, B05, B07, B09, B11, B13
  - C01, C02, C03, C04, C05, C06, C07, C08, C09, C10, C11, C12, C13
  - D01, D03, D05, D07, D09, D11, D13
  - E01, E02, E03, E04, E05, E06, E07, E08, E09, E10, E11, E12, E13
  - F01, F03, F05, F07, F09, F11, F13
  - G01, G02, G03, G04, G05, G06, G07, G08, G09, G10, G11, G12, G13
  - H01, H03, H05, H07, H09, H11, H13
  - I01, I02, I03, I04, I05, I06, I07, I08, I09, I10, I11, I12, I13
  - J01, J03, J05, J07, J09, J11, J13
  - K01, K02, K03, K04, K05, K06, K07, K08, K09, K10, K11, K12, K13
  - L01, L03, L05, L07, L09, L11, L13
  - M01, M02, M03, M04, M05, M06, M07, M08, M09, M10, M11, M12, M13

THIS TOWNSHIP SHOULD HAVE 133 CORNER RECORDS ON FILE PRIOR TO COMMENCING THE PERPETUAL MONUMENT MAINTENANCE PLAN

The above referenced number of corner records INCLUDES the following 58 GLO corner(s) to be completed and filed with the Menominee County Remonumentation Program prior to commencing the perpetual Monument Maintenance Plan and EXCLUDES 0 non-GLO corners previously completed and filed with the Menominee County Remonumentation Program:

- GLO Corners to be completed and indexed as:
  - A01; A02; A03; A04; A05; A06; A10; A11; A12; B01; B03; B05; B11; C01; C02; C03; C04; C06; C10; C11; C12; D01; D07; D09; D11; E01; E08; E09; E10; E11; E12; F01; F09; F11; G08; G09; G10; G11; G12; H07; H09; H11; I06; I07; I08; I09; I10; I11; I12; J07; J09; J11; K04; K05; K08; K09; K11; L11
- non-GLO Corners previously completed and indexed as:
  - NONE

**APPENDIX BB**  
PERPETUAL MONUMENT MAINTENANCE PLAN

Upon entering the Maintenance status, corners will be revisited based on the recommendation of the County Representative. The County Representative shall recommend corners to be revisited taking into consideration the following factors:

- Available funding
- Preference for Corners with monuments that are known to have been disturbed
- Preference for Monuments located in populated areas of Menominee County; these monuments maybe visited/ revisited more frequently than those in rural areas or areas with less fractured parcel ownership.
- Preference for GLO Corners over non-GLO Corners accepted into the County Program.
- Preference for Corners that don't currently have a geodetic coordinate on file with the program
- Consideration given to the number of years since last visited; based on records of corners submitted to the County Remonumentation program AND/OR subsequent non-Remon Act 74 ('s) being filed at the Menominee County Register of Deeds.

A Land Corner Recordation Certificate does not need to be filed with geodetic coordinates if all the following conditions are met:

- The monument exists "as described". (see definition of "as described" below)
- At least 3 existing witnesses remain.
- No additional information has been found to refute the location

For the purpose of the Perpetual Monument Maintenance Plan, and with reference to MCL 54.203 and MCL 54.203a, "as described" will be defined as follows:

- Monument [or Reference and/or Witness monument(s), where applicable], shall be considered as described if the material, size, and stamping information match that of the previous Remonumentation Record or subsequent non-remonumentation Land Corner record (Act 74) on file at the Menominee County Register of Deeds.
- Witnesses (Bearing Trees, Carsonite posts, Witness Objects, Reference monuments, monument boxes, and/or other Accessories) shall be considered "as described" if the accessory exists in a condition similar to the time of its initial reference. This definition allows variations, within reason, for previously noted bearings, distances, and Tree diameters (allowing for growth). Reference nails, witness signs, Carsonite posts, monument boxes, or the like may be restored (if needed) in the previously recorded location without compromising the "as described" status. Unless a Bearing Tree was previously noted as dead, a tree that is still standing but is now dead is NOT considered "as described".

**APPENDIX CC**  
**PEER REVIEW GROUP**

The Menominee County Peer Group shall consist of a minimum Three (3) Land Surveyors licensed in the State of Michigan; including the County Representative whom serves as chair of the peer review group. All members of the peer group must hold a valid Professional Land Surveyors license issued by the State of Michigan. Peer Group Members will be selected to serve by the County Board, without an expiration date for their respective terms. Each Licensed Surveyor serving on the County Peer Group serves at the behest of the County Board, which may Add or Remove members as they see fit. If a member wishes to resign from the Peer Group, for any reason, they may submit their resignation (in writing) to the County Administrator to be brought before the County Board for approval.

No more than One (1) Surveyor from the same firm may serve on the peer group. If a firm has multiple Land Surveyors, the individual on the peer group may request one or more Land Surveyors to fill in their position as an alternate. Alternate status must be approved by the County Board. An alternate Professional Surveyor can attend a meeting for a member of the peer review group as a proxy vote once per calendar year.

Peer Group meetings will be scheduled as needed; generally twice a year. Subject to change once the Perpetual Monument Maintenance plan is initiated.

Contract surveyors are not required to be a member of the peer review group. Professional Surveyors submitting contract corners will be notified of our meeting schedule, and are required to have themselves or a designee attend a meeting at which corners will be presented for approval. If a surveyor who prepared the LCRC cannot present the corner to the peer review group, the presentation can be delegated to the crew chief or other Professional Land Surveyor who actively participated in preparing the document(s). Surveyors who are members of the peer review group cannot vote on corners they present.

If the county representative is also the county administrator, that individual and that individual's organization shall not enter into any Remonumentation surveyor contract within the borders established by the county plan.

Walk-in corners from any Professional Land Surveyor in the State of Michigan are acceptable. No fee will be paid for walk-in corners, but enough material to complete the Remonumentation of the corner can be shared with the Professional Surveyor once the corner position is accepted. Professional Surveyors submitting walk-in corners will be notified of our meeting schedule, but need not attend.

A corner will be considered "Approved" by the Peer Group, if a majority of the Peer Group approves of the position.

**APPENDIX DD**  
GEODETTIC COORDINATES

With respect to MCL 54.268 (2) (a)(iii), reporting of Geodetic Coordinates will be as follows:

- Geodetic coordinates reported will be in a degrees – minutes – seconds – decimal-seconds format for Latitude and Longitude.
- Accuracy of the coordinate will be within 0.01 arc seconds.
- If a question of position arises, the distance from a witness will be weighted as more accurate than a geodetic coordinate.

In the event that the National Geodetic Survey, the State of Michigan, Menominee County, or some other entity configures a low distortion projection or other system deemed to be an improvement over the above noted system, the Peer Group may elect to change the format in which coordinates are reported.

**APPENDIX EE**  
AGREEMENTS FOR ACTIVE GEODETIC CONTROL SITES

Menominee County made a one-time contribution from their Remonumentation Budget to MDOT to construct and operate CORS site MIST located at the Michigan Department of Natural Resources office in Stephenson, Michigan. Menominee County had no further responsibilities for maintaining said site. (If the County can locate the agreements with MDOT they will be included.)

**APPENDIX FF**  
**COUNTY REVISIONS TO THE REMONUMENTATION PLAN**

Revisions to the existing Remonumentation Plan currently on file with the Office of Survey and Remonumentation:

GENERAL CONDITIONS (Page 6), Item No. 6, sub item c.

Where corner positions have been destroyed and need to be replaced in existing hard surface county roads or state highways, a 4 inch long magnetic survey spike with a 1 inch diameter head will be set at the corner point. Four (4) reference markers consisting of 5/8 inch diameter x 24 inch long rebars with a 2 inch diameter aluminum cap stamped "REFERENCE MARKER" will be set in the various quadrants. In addition, a 5/8 inch diameter x 24 inch long rebar with a 3-1/4 inch diameter aluminum cap stamped for the corner location and marked "REF. MON." with the distance and direction to the corner point will be set in a cardinal direction, where practical, and as near the Right of Way as practical. All reference monuments will be measured in using either a Total Station or Global Positioning Equipment. The relationship between the reference markers and the corner and the relationship between each reference monument will be shown as a sketch attached as an additional page to the Land Corner Recordation Form. All bearings will be Grid (MCS83, NORTH ZONE) bearings and all distances will be in ground.

GENERAL CONDITIONS (Page 6), Item No. 6, sub item e.

Where the corner point falls in normal or stable ground, a 3/4 inch diameter x 4 foot long aluminum rod with a 3-1/4 inch diameter aluminum cap (Berntsen HDR Monument) will be set. In the event of rocky ground, a 5/8 inch diameter x 24 inch rebar with a 3-1/4 inch diameter aluminum cap will be set.

GENERAL CONDITIONS (Page 6), Item No. 6, sub item f.

Where the corner point falls in an area such as bog, swamps or soft ground with high ground water table, a 3/4 inch diameter x 4 foot long aluminum rod with a 3-1/4 inch diameter aluminum cap (Berntsen HDR Monument) will be set. In extreme conditions, additional 4 foot sections may be added to the monument.